

SURVIVABILITY · SUSTAINABILITY · MOBILITY SCIENCE AND TECHNOLOGY SOLDIER SYSTEM INTEGRATION



TECHNICAL REPORT NATICK/TR-96/035

AD	

VALIDATION OF A STATISTICAL MATCHING PROCEDURE USED TO CREATE UNITED STATES MARINE CORPS ANTHROPOMETRIC DATABASES

By
Sarah M. Donelson*
and
Claire C. Gordon

*GEO CENTERS, INC. Newton Centre, MA 02159

DTIC QUALITY INSPECTED 2

September 1996

FINAL REPORT October 1995 - November 1995

Approved for Public Release; Distribution Unlimited

UNITED STATES ARMY SOLDIER SYSTEMS COMMAND NATICK RESEARCH, DEVELOPMENT AND ENGINEERING CENTER NATICK, MASSACHUSETTS 01760-5020

SCIENCE AND TECHNOLOGY DIRECTORATE

19961031 011

DISCLAIMERS

The findings contained in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of trade names in this report does not constitute an official endorsement or approval of the use of such items.

DESTRUCTION NOTICE

For Classified Documents:

Follow the procedures in DoD 5200.22-M, Industrial Security Manual, Section II-19 or DoD 5200.1-R, Information Security Program Regulation, Chapter IX.

For Unclassified/Limited Distribution Documents:

Destroy by any method that prevents disclosure of contents or reconstruction of the document.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden. to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE								
<u></u>	September 1996	FINAL OC	t 1995 - Nov 1995						
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS						
VALIDATION OF A STATI									
USED TO CREATE UNITED		PS	C-DAAK-60-90-D-000-2						
ANTHROPOMETRIC DATABA	SES								
6. AUTHOR(S)									
Sarah M. Donelson*	and Claire C Cor	rob.							
Baran M. Bonerson	and charite c. Gor	.don							
7. PERFORMING ORGANIZATION NAM	ME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION						
2. PENI ONUMBO ONGANIZATION NAME	icis And Abbacasies		REPORT NUMBER						
*GEO CENTERS, INC.									
7 Wells Ave.									
Newton Centre, MA 0:	2159								
•									
9. SPONSORING/MONITORING AGENC	CY NAME(S) AND ADDRESS(ES)		10. SPONSORING / MONITORING						
			AGENCY REPORT NUMBER						
U.S. Army Soldier System		j							
Natick Research, Develo	pment and Engineering	g Center	NATICK/TR-96/035						
ATTN: SSCNC-YB Natick, MA 01760-5020									
Nacick, MA 01760-3020									
11. SUPPLEMENTARY NOTES									
		/							
Point of Contact: C	laire C. Gordon,	(508) 233-542	9						
12a. DISTRIBUTION / AVAILABILITY STA	ATEMENT		12b. DISTRIBUTION CODE						
Approved for Public	Polesgo.								
Distribution Unlimit	release;								
Discribación onrina	Lea								
13. ABSTRACT (Maximum 200 words)									
Anthropometric databas	ses containing exte	ensive body siz	e and shape						
information are critic	cal for the proper	design and siz	ing of military						
information are critic clothing, equipment a	nd workstations. Th	ne last anthrop	ometric survey of						
United States Marine (Corps males was con	iducted in 1966	. No anthropometric						
data has been collecte	ed on Marine Corps	iemales. To u	pdate the						
anthropometric databas Research, Development	se, the USMC reques	enter conduct o	.S. Army Natick						
determine if statistic	cal matching could	he used to cre	ate accurate male and						
female USMC anthropome	etric databases usi	ing data collec	ted during the 1988						
Anthropometric Survey	of U.S. Army Perso	onnel (ANSUR).	Anthropometric data						
were collected from a	randomly selected	sample of male	and female USMC						
personnel. Twelve anti	hropometric dimensi	ons chosen to	describe all major						
segments of the body v	were measured on a	valid sample o	f 470 females and 493						
male Marines. These	data were compared	to matched dat	abases derived from						
ANSUR using several di	literent matching p	procedures, inc	luding truncation						
based on height for we demographic plus weigh	nt and/or height ma	enographic (rac	e/age/ matching, and						
	and, or incigite life	······································							
	EASUREMENTS	VALIDATION	15. NUMBER OF PAGES						
	IZES (DIMENSIONS)	ACCURACY	82						
	LOTHING DESIGN	HUMAN BODY	16. PRICE CODE						
	IZING(CLOTHING) SECURITY CLASSIFICATION 1	STATISTICAL DA							
OF REPORT	OF THIS PAGE	 SECURITY CLASSIFICATION OF ABSTRACT 	ATION 20. LIMITATION OF ABSTRAC						

UNCLASSIFIED

UNCLASSIFIED

SAR

UNCLASSIFIED

Table of Contents

List of Tables	V
Preface and Acknowledgements	vii
Introduction	1
Sample Acquisition	2
 Minimum Sample Required Sample Size Acquired Age/Race Distribution of Valid Sample and Cur 	2 4 rent USMC 6
Interobserver Error	11
USMC Male Matched Database Validation	15
 Truncation Using USMC Weight for Height Star Demographic Only (Race/Age) Matching Race/Age/Weight Matching 	ndards 15 16 17
USMC Female Matched Database Validation	22
 Truncation Using USMC Weight for Height Star Demographic Only (Race/Age) Matching Race/Age/Weight Matching Race/Age/Height Matching Race/Age/Height/Weight Matching 	ndards 22 23 24 28 32
References	38
Appendices	39
Appendix A: Resampling Stats Program for Interol Error Analysis	oserver 41
Appendix B: Male Matcing Results: Summary Statis	stics 43
Appendix C: Female Matching Results: Summary S	Statistics 57
Appendix D: Derivation of Statistical Formulae	83

List of Tables

Table 1.	Computed Minimum Sample Size Requirements for Accurate Parametric Estimates	3
Table 2.	USMC Male Demographic Distribution DMDC Data December 1993	4
Table 3.	USMC Female Demographic Distribution DMDC Data December 1993	4
Table 4.	Demographic Distribution of Valid Male Sample and Minimum Sampling Requirements	5
Table 5.	Demographic Distribution of Valid Female Sample and Minimum Sampling Requirements	5
Table 6.	USMC Male Demographic Distribution February 1995	7
Table 7.	USMC Female Demographic Distribution February 1995	7
Table 8.	February 1995 Demographically Representative Distribution of	
	Valid Measured USMC Males	8
Table 9.	February 1995 Demographically Representative Distribution	
	of Valid Measured USMC Females	8
Table 10.	Valid Measured USMC Male Demographic Distribution	9
Table 11.	Valid Measured USMC Female Demographic Distribution	9
Table 12.	Weighting Factors for Valid Measured USMC Males to Match	
	February 1996 USMC Demographic Distribution	10
Table 13.	Weighting Factors for Valid Measured USMC Females to Match	
	February 1995 USMC Demographic Distribution	10
Table 14.	Directionality Between Measurers by Sex of Subjects	12
Table 15.	Skewness, Kurtosis, Mean Absolute Difference, and Absolute	
	Median of Interobserver Error Data by Sex	13
Table 16.	Interobserver Error Values for USMC and ANSUR	14
Table 17.	Height and Weight Retention Standards for Male USMC	
	Personnel (MCO P6100.3H)	15
Table 18.	Demographic Distribution of Truncated ANSUR Male Database	16
Table 19.	Demographic Only Match Weighting Factors for Truncated ANSUR Males	16
Table 20.	T-test Results Comparing Means of USMC Male Sample and Race/Age Match	17
Table 21.	USMC Male Demographically Representative Sample Divided into Three Weight Groups Using Percentiles	18
Table 22.	Demographic Distribution of Truncated ANSUR Males in Three Weight Groups	19

List of Tables (Cont.)

Table 23.	Race/Age/Weight Match Weighting Factors for Truncated ANSUR Males	20
Table 24.	T-test Results Comparing Means of USMC Male Sample and Race/Age/Weight Match	21
Table 25.	Height and Weight Retention Standards for Female USMC Personnel (MCO P6100.3H)	22
Table 26.	Demographic Distribution of Truncated ANSUR Female Database	23
Table 27.	Demographic Only Match Weighting Factors for Truncated ANSUR Females	23
Table 28.	T-test Results Comparing Means of USMC Female Sample and Race/Age Match	24
Table 29.	Demographically Representative Sample Divided into Three Weight Groups Using Percentiles	25
Table 30.	Distribution of Truncated ANSUR Females in Three Weight Groups	26
Table 31.	Race/Age/Weight Match Weighting Factors for Truncated ANSUR Females in Three Weight Groups	27
Table 32.	T-test Results Comparing Means of USMC Female Sample and Race/Age/Weight Match	28
Table 33.	Demographically Representative Sample Divided into Three Height Groups Using Percentiles	29
Table 34.	Demographic Distribution of Truncated ANSUR Females in Three Height Groups	30
Table 35.	Race/Age/Height Match Weighting Factors for Truncated ANSUR Females in Three Height Groups	31
Table 36.	T-test Results Comparing Means of USMC Female Sample and Race/Age/Height Match	32
Table 37.	Demographically Representative Sample Divided into Nine Height/Weight Groups Using Percentiles	33
Table 38.	Demographic Distribution of Truncated ANSUR Females in Nine Height/Weight Groups	34
Table 39.	Race/Age/Height/Weight Match Weighting Factors for Truncated ANSUR Females in Nine Height/Weight Groups	35
Table 40.	T-test Results Comparing Means of USMC Female Sample and Race/Age/Height/Weight Match	37
Table 41.	T-test Results Adjusted for Interobserver Error Comparing Means of USMC Female Sample and Race/Age/Height/Weight Match	37

Preface and Acknowledgements

The United States Marine Corps (USMC) matched anthropometric databases summarized in this report were created from a large existing database of US Army personnel using a validated matching procedure. This study, conducted between October 1995 and November 1995, is the first to demonstrate that data collected on US Army personnel during the 1988 Anthropometric Survey of US Army Personnel (ANSUR) can be used to create anthropometrically representative databases for another US military population, the USMC. The validation procedure involved collecting limited anthropometric data from a random sample of USMC personnel that could be compared to matched databases derived from ANSUR. This project was completed by the US Army Soldier Systems Command, Natick Research, Development and Engineering Center with GEO-CENTERS, INC. under contract number DAAK-60-90-D-000-2, Delivery Order 080, with funding provided by Marine Corps Systems Command, USMC.

The USMC anthropometric data utilized in this study were collected by Nancy Bell, Heather Foti, Henry Case, and Wendy Todd, all of GEO-CENTERS, INC. The ANSUR data utilized in this study were collected under the supervision of Bruce Bradtmiller and Jeryl Neff of Anthropology Research Project, Inc. and Robert Walker and Beth Ann Holloway of US Army Natick Research, Development, and Engineering Center (NRDEC). The 1988 US Army Anthropometric Survey was directed by Claire Gordon.

Successful completion of this ambitious scientific project would not have been possible without the vision and support of Doug Davis and Major B.A. Smith of the USMC and the managerial expertise of Steve Paquette, Anthropology Group Coordinator at NRDEC.

The authors are especially grateful to John Redgate, of the Natick technical publications editorial staff, and David Brantley for the skillful editing and production of this report.

VALIDATION OF A STATISTICAL MATCHING PROCEDURE USED TO CREATE UNITED STATES MARINE CORPS ANTHROPOMETRIC DATABASES

Introduction

Anthropometric databases containing extensive body size and shape information are critical for the proper design and sizing of clothing, protective equipment and workstations used by military populations. These databases must be assessed periodically and updated to ensure that they accurately describe the populations they purport to represent. The most recent anthropometric survey of the United States Marine Corps (USMC) male population was conducted in 1966, and no anthropometric data have been collected on female Marines¹.

To update the anthropometric database, the USMC requested that the US Army Natick Research, Development and Engineering Center conduct a validation study to determine if statistical matching could be used to create accurate male and female USMC anthropometric databases using data collected during the 1988 Anthropometric Survey of US Army Personnel (ANSUR). Earlier research has shown that statistical matching can be used to successfully create databases that anthropometrically represent the US Army Pilot population². In addition, when USMC and US Army anthropometric data from the 1966 survey were compared, the two populations exhibited very similar anthropometric distributions in both body size and shape¹.

To validate the matching procedure used to create the USMC databases, anthropometric data were collected from a randomly selected sample of male and female USMC personnel. A total of 12 anthropometric dimensions, carefully chosen to accurately describe all major segments of the body, were measured on a valid sample of 470 female and 493 male marines during the summer of 1994. These subjects were measured at Camp Pendleton and Camp LeJeune.

A discussion of sample acquisition begins on page 1. Observer error rates are presented on page 9. The validation of the matching procedure for males begins on page 12 and is followed by the female validation on page 18. Appendix A contains a sample Resampling Stats program, and the appendices B and C present summary statistics for the measured male and female USMC samples and the matched databases that were tested. Appendix D explains the derivation of the formula used to determine a valid sample size.

Sample Acquisition

During the summer of 1994, 12 anthropometric dimensions were collected on a total of 495 male and 486 female marines. Among the males, one subject was eliminated from the analysis because a recent accident resulted in severe weight gain and fluid retention. One of the Hispanic males in the oldest age category was also removed from the analysis because he was the shortest measured subject (Stature = 1532 mm) and was unduly influential due to his demographic profile. Thus, a total of 493 valid male subjects were measured and retained for use in the validation study.

Among the female sample, one of the subjects was not actually measured, 4 women were 8 weeks or less postnatal and lactating, 1 was separating from the USMC because she was very heavy, and 1 did not meet the minimum waiverable height requirements and was substantially shorter than the next shortest subject. Hairstyles interfered with Stature and Sitting Height measurements for 9 of the female subjects, requiring that the anthropometer blade be inserted initially at an angle to take these measurements. Since this may have had an unknown effect on these measurements, and Stature was used as one of the matching criteria, these subjects were also excluded from the analysis, reducing the valid sample to 470.

1. Minimum Sample Required

The minimum number of subjects needed to provide accurate parametric estimates of both the mean and the tails (i.e., 5th and 95th percentile values) was calculated separately for males and females using the following equation (see Appendix D):

$$n = [(1.96*SD)^2 * (1 + 0.5*k^2)] / C^2$$

where:

n = number of subjects

SD = standard deviation

k = Z-score corresponding to the desired accommodation rate

C = precision

The standard deviation and precision values were set using the ANSUR data. Precision was set at 1.5% of the mean for soft tissue measurements (e.g., Chest Circumference) and 1.0% of the mean for bony measurements (e.g., Stature)³. As presented in Table 1, the measurement requiring the largest minimum sample size was Weight. However, budgetary constraints would not allow for such a large number of subjects to be measured, so the minimum sample size for Waist Circumference (Omphalion) was used for the sampling strategy. The chosen sample size ensured that accurate parametric estimates of Weight could be

made for the USMC mean and for the 33rd and 67th percentiles of the population [Male n = $[(1.96*11.1)^2*(1+0.5*0.44^2)]/1.18^2 = 375$; Female n = $[(1.96*8.35)^2*(1+0.5*0.44^2)]/0.93^2 = 340$].

Table 1. Computed Minimum Sample Size Requirements for Accurate Parametric Estimates

		Ma	les			Fem	ales	
	Mean	Precision	Standard	Minimum	Mean	Precision	Standard	Minimum
			Deviation	N			Deviation	N
Stature	175.58	1.76	6.68	131	162.94	1.63	6.36	138
Weight	78.49	1.18	11.1	803	62.01	0.93	8.35	728
Waist Ht	105.88	1.06	5.09	209	98.21	0.98	4.88	223
Sleeve	60.15	0.60	3.07	235	54.72	0.55	3.02	275
Chest C	99.14	1.49	6.9	195	90.71	1.36	6.35	197
Waist C	86.24	1.29	8.64	403	79.19	1.19	8.27	438
Butt C	98.37	1.48	6.22	161	96.69	1.45	6.02	156
Foot B	10.06	0.10	0.53	251	8.97	0.09	0.49	270
Foot L	26.97	0.27	1.31	213	24.44	0.24	1.22	225
Sitt Ht	91.39	0.91	3.56	137	85.2	0.85	3.49	152
Head C	56.77	0.57	1.54	66	54.62	0.55	1.46	64
MenSell	12.19	0.12	0.65	257	11.35	0.11	0.6	253

The minimum number of males and females to be measured was multiplied by the proportion of USMC personnel in each of the age/race sampling cells to determine the minimum number of Marines that must be measured in each demographic cell. The male and female demographic distributions of the USMC population, presented in Tables 2 and 3, were used to calculate the sampling goals (see Tables 4 and 5 for the minimum cell requirements). To ensure that these goals were met, each cell was oversampled by 20% during the rostering process to compensate for any attrition.

Table 2. USMC Male Demographic Distribution DMDC Data December 1993 White Black Hispanic As/Pa Is Am Ind Mixed/O Total < 20 5322 4069 641 381 43468 32487 568 2.41% 0.38% 0.22% 25.72% 19.22% 3.15% 0.34% 21-24 920 520 57038 41839 8075 5092 592 3.01% 0.54% 0.31% 0.35% 33.75%

2228

1.32%

2256

1.33%

13645

8.07%

509

547

0.30%

0.32%

2617

1.55%

256

182

0.15%

0.11%

1339

0.79%

314

261

0.19%

0.15%

1735

1.03%

32133

19.01%

36355

21.51%

168994

100.00%

Table 3.	USMC Fe Decembe		emograph	ic Distribu	tion DMD	OC Data	
	White	Black	Hispanic	As/Pa Is	Am Ind	Mixed/O	Total
<u><</u> 20	1192	354	202	35	40	35	1858
	15.69%	4.66%	2.66%	0.46%	0.53%	0.46%	24.45%
21-24	1455	604	249	49	55	40	2452
	19.15%	7.95%	3.28%	0.64%	0.72%	0.53%	32.27%
25-30	966	516	119	28	23	29	1681
	12.71%	6.79%	1.56%	0.37%	0.30%	0.38%	22.12%
<u>></u> 31	977	484	113	11	10	13	1608
	12.86%	6.37%	1.49%	0.14%	0.13%	0.17%	21.16%
Total	4590	1958	683	123	128	117	7599
	60.40%	25.77%	8.99%	1.62%	1.68%	1.54%	100.00%

2. Sample Size Acquired

24.75%

22503

13.31%

125775

15.25%

122604

72.55%

25-30

> 31

Total

4.78%

6323

3.74%

7334

4.34%

27054

16.01%

As shown in Tables 4 and 5, the minimum sampling goals were met for most of the demographic cells. Among the males, the minimum sampling goals were not met for three cells. The goals were not met by only a single subject for the White 25-30 year olds and the Asian/Pacific Islander over 31 age group, while that of the White 21-24 year old cell was not met by 5 subjects. Although

this figure does represent 5% of this age/race cell, it should also be noted that this is the most populous demographic group in the USMC population and that a large number of subjects were successfully measured.

Table 4.	Demographic Distribution of Valid Male Sample and Minimum
	Sampling Requirements

	Wh	nite	Bla	ck	Hispa	anic	Asiar Islan		Amer Indi		Mixe Oth		То	tal
	Valid	Min	Valid	Min	Valid	Min	Valid	Min	Valid	Min	Valid	Min	Valid	Min
<u>≤</u> 20	113	77	23	13	15	10	2	2	1	1	12	1	166	104
21-24	95	100	22	19	18	12	2	2	2	1	5	1	144	136
25-30	53	54	21	15	5	5	1	1	1	1	6	1	87	77
<u>≥</u> 31	65	61	21	17	5	5	1	2	1	0	3	1	96	86
Total	326	292	87	64	43	32	6	7	5	3	27.	4	493	403

^{*}Cells in bold italics indicate shortfalls

For the female sample, the minimum measuring goals were not met for a total of 6 age/race cells. The White 21-24, 25-30, \geq 31 and cells are underrepresented by 4, 5 and 2 respectively (see Table 5). The minimum goals for the remaining cells (Black 25-30, Hispanic 21-24, Asian/Pacific Islander 25-30) were not met by 2 subjects.

Table 5.	Demographic Distribution	of Valid	Female Sample	and Minimum
	Sampling Requirements			

	Wh	nite	Bla	ack	Hispa	anic	Asiar Islan		Amer Indi		Mixe		То	tal
	Valid	Min	Valid	Min	Valid	Min	Valid	Min	Valid	<u>Min</u>	Valid	Min	Valid	Min
≤ 20 21-24 25-30	74 78 49	69 84 56	23 35 28	20 35 30	20 12 11	12 14 7	0 4 0	2 3 2	5 4 2	2 3 1	11 9 7	2 2 2	133 142 97	107 141 98
≥ 31	54	56	31	28	10	7	1	0	0	0	2	1	98	92
Total	255	265	117	113	53	40	_ 5	7	11	6	29	7	470	438

^{*}Cells in bold italics indicate shortfalls

Given the number of male subjects successfully measured in each of the cells, the exact confidence level associated with the 33.3% and the 66.6% parametric estimates for Weight in the male sample is 94.64%, very close to 95%. For the female sample, estimates of the 33.3% and the 66.6% percentiles can be estimated with 95% confidence. Thus, the estimates for the most variable anthropometric distribution, Weight, can still be made with confidence levels either at, or very close to, 95% and so the shortfall in measuring goals should not impact the validation.

For most of the cells, the difference between the number of subjects actually measured and the minimum number required tended to be between 5% and 10%. It may be that an attrition rate of 25%, rather than 20%, should be expected when rostering subjects in advance to prevent shortfalls. The problem of subject accession rates was greater among the females than the males and was probably effected by female Marines who were either pregnant or on maternity leave at the time of the survey. Such problems could be minimized during the rostering process by requesting that each participating base exclude individuals from rosters who are known to be pregnant or have just returned from maternity leave.

3. Age/Race Distribution of Valid Sample and Current USMC

The most current age/race distribution of the USMC population at the time the validation study began is presented in Tables 6 and 7. Tables 8 and 9 present the number of valid measured USMC subjects that need to be selected in each age/race cell to match the observed USMC demographic distributions. Because the total number of subjects in each data set is already small, it would not be advisable to randomly delete a total of 128 male subjects and 135 female subjects. To retain all of the valid measured subjects (Tables 10 and 11), and to have a demographically representative database, the valid male and female data were weighted using the weighting factors presented in Tables 12 and 13. The weights were simply calculated using division. For example, a total of 113 White males were measured in the < 20 age category (see Table 10). As shown in Table 8, only 70 subjects should occupy this cell based on the current USMC male demographic data. By dividing 70 by 113, the weighting factor of .6195 is calculated (see Table 12). Thus, each of the 113 subjects in this age/race group will be given a weight of only .6195, instead of a full weight of 1. With the weighting factor, all 113 subjects are used, but they only have the impact of 70 subjects (i.e., $113 \times .6195 = 70$). The appropriate weighting factors were applied to both the male and the female data sets for use throughout the analysis.

Table 6. USMC Male Demographic Distribution February 1995

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total
100	04004	E470	4500	600	202	507	40000
≤ 20	31821 19.16%	5178 3.12%	4502 2.71%	693 0.42%	392 0.24%	507 0.31%	43093 25.95%
21-24	41689	7667	5626	994	4 81	656	57113
	25.10%	4.61%	3.39%	0.60%	0.29%	0.39%	34.39%
25-30	21078	5602	2270	546	233	299	30028
	12.69%	3.37%	1.37%	0.33%	0.14%	0.18%	18.08%
<u>≥</u> 31	25168	7384	2300	528	201	275	35856
	15.15%	4.44%	1.38%	0.32%	0.12%	0.17%	21.59%
Total	119756	25831	14698	2761	1307	1737	166090
	72.10%	15.55%	8.85%	1.66%	0.79%	1.04%	100.00%

Table 7. USMC Female Demographic Distribution February 1998	Table 7.	USMC	Female	Demographic	Distribution	Februan	/ 1995
---	----------	------	--------	-------------	--------------	---------	--------

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total
≤ 20	1322	385	271	50	40	26	2094
	17.05%	4.96%	3.50%	0.64%	0.52%	0.34%	27.01%
21-24	1456	551	269	50	46	42	2414
	18.78%	7.11%	3.47%	0.64%	0.59%	0.54%	31.14%
25-30	882	476	134	32	21	36	1581
	11.38%	6.14%	1.73%	0.41%	0.27%	0.46%	20.39%
<u>></u> 31	987	510	125	13	12	17	1664
_	12.73%	6.58%	1.61%	0.17%	0.15%	0.22%	21.46%
Total	4647	1922	799	145	119	121	7753
	59.94%	24.79%	10.31%	1.87%	1.53%	1.56%	100.00%

Table 8. February 1995 Demographically Representative Distribution of Valid Measured USMC Males

	White	Black	Hispanic	Asian/Pa	American	Mixed/	Total
				Islander	Indian	Other	
:							
≤ 20	70	11	10	2	1	1	95
[19.18%	3.00%	2.70%	0.60%	0.30%	0.30%	26.13%
21-24	92	17	12	2	1	1	125
	25.20%	4.50%	3.30%	0.60%	0.30%	0.30%	34.23%
25-30	46	12	5	1	1	1	66
	12.60%	3.30%	1.50%	0.30%	0.30%	0.30%	18.32%
<u>≥</u> 31	55	16	5	1	1	1	79
	15.07%	2.10%	0.60%	0.00%	0.00%	0.00%	10.81%
Total	263	56	32	6	4	4	365
	72.05%	15.32%	8.71%	1.80%	0.90%	0.90%	100.00%

Table 9. February 1995 Demographically Representative Distribution of Valid Measured USMC Females

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total
≤ 20	59	17	12	0	2	1	91
-	17.15%	4.94%	3.49%	0.00%	0.58%	0.29%	26.45%
21-24	65	25	12	3	2	2	109
	18.90%	7.27%	3.49%	0.87%	0.58%	0.58%	31.69%
25-30	39	21	6	0	1	2	69
	11.34%	6.10%	1.74%	0.00%	0.29%	0.58%	20.06%
<u>≥</u> 31	44	23	6	1	0	1	75
	12.79%	6.69%	1.74%	0.29%	0.00%	0.29%	21.80%
Total	207	86	36	4	5	6	344
	60.17%	25.00%	10.46%	1.16%	1.45%	1.74%	100.00%

Table 10. Valid Measured USMC Male Demographic Distribution									
	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total		
<u><</u> 20 21-24	113 95	23 22	15 18	2 2	1	12 5	166 144		
25-30	53	21	5	1	1	6	87		
≥ 31	65	21	5	1	1	3	96		
Total	326	87	43	6	5	26	493		

Table 11. Valid Measured USMC Female Demographic Distribution									
	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total		
≤ 20 21-24 25-30 ≥ 31	74 78 49 54	23 35 28 31	20 12 11 10	0 4 0 1	5 4 2 0	11 9 7 2	133 142 97 98		
Total	255	117	53	5	11	29	470		

Table 12. Weighting Factors for Valid Measured USMC Males to Match February 1995 USMC Demographic Distribution

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other
≤ 20	0.6195	0.4783	0.6667	1.0000	1.0000	0.0833
21-24	0.9684	0.7727	0.6667	1.0000	0.5000	0.2000
25-30	0.8679	0.5714	1.0000	1.0000	1.0000	0.1667
≥ 31	0.8462	0.7619	1.0000	1.0000	1.0000	0.3333

Table 13. Weighting Factors for Valid Measured USMC Females to Match February 1995 USMC Demographic Distribution

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other
≤ 20	0.7973	0.7391	0.6000	0.0000	0.4000	0.0909
21-24	0.8333	0.7143	1.0000	0.7500	0.5000	0.2222
25-30	0.7959	0.7500	0.5454	0.0000	0.5000	0.2857
≥ 31	0.8148	0.7419	0.6000	1.0000	0.0000	0.5000

Interobserver Error

A total of 13 female and 20 male subjects were measured twice, once by each member of the measuring team. The collected data served two purposes:

1) as a daily check to ensure that measurers did not exceed the allowable errors established for each dimension; and 2) to collect interobserver error data.

When the values of measurements taken by Measurer 2 (M2) were subtracted from those taken by Measurer 1 (M1), the number of positive and negative values for several dimensions suggested that directionality (i.e., the proportion of positive and negative values not being equal) may be present. To determine if directionality was present, a bootstrapping program was written in Resampling Stats to test the null hypothesis that, on average, for 50% of the test-retest data M1 measured larger than M2 (M1>M2), and for the other 50% of the data, M1 measured smaller than M2 (M1<M2). Because the proportion of ties that would be expected for any particular dimension cannot be determined independently of the test-retest data, ties were not included in the analysis (see Appendix A for a sample program).

Among the females, the null hypothesis was rejected for three dimensions (Chest Circumference [M1>M2], Buttock Circumference [M1<M2], and Head Circumference [M1<M2]), and among the males, only one dimension (Foot Breadth [M1>M2]) exhibited directionality (see Table 14). The presence of directionality does *not* indicate that the magnitude of the difference between the measurers is large or that the quality of measuring was poor. Directionality does suggest that the distribution of the interobserver error data does not center around 0 and is not normally distributed.

In addition to directionality being present, the number of subjects measured twice is relatively small (n=13 for females and n=20 for males). Furthermore, Table 15 shows that many of the interobserver error distributions are skewed and kurtotic. The combination of these factors results in a dubious parametric estimate using the mean value, and indicates that median values should be used. Therefore, the absolute median value of the test-retest data was chosen as an indicator of interobserver error for the USMC data set, rather than the mean absolute difference (MAD). The USMC study and ANSUR interobserver errors are presented in Table 16.

Table 14. Directionality Between Measurers by Sex of Subjects

Dimension	M1>M2	M1 <m2< th=""><th>M1=M2</th><th>N</th><th>р</th></m2<>	M1=M2	N	р
Females					
Stature	6	6	1	13	.61
Waist Height	4	9	0	13	.13
Sleeve	4	7	2	13	.27
Chest Circ	10	2	1	13	.02
Waist Circ	8	4	1	13	.19
Buttock Circ	2	9	2	13	.01
Foot Breadth	6	5	2	13	.50
Foot Length	5	3	5	13	.36
Sitting Height	4	7	2	13	.27
Head Circ	1	12	0	13	.00
Menton-Sellion	4	8	1	13	.19
Males					
Stature	8	8	4	20	.60
Waist Height	7	13	0	20	.14
Sleeve	9	10	1	20	.51
Chest Circ	7	11	2	20	.25
Waist Circ	12	7	1	20	.19
Buttock Circ	12	8	0	20	.24
Foot Breadth	12	4	4	20	.04
Foot Length	7	7	6	20	.60
Sitting Height	11	6	3	20	.16
Head Circ	8	11	1	20	.33
Menton-Sellion	10	5	5	20	.14

Table 15. Skewness, Kurtosis, Mean Absolute Difference, and Absolute Median of Interobserver Error Data by Sex

Females Weight	0.45	0.04		
1		0.24		
Weight		0.04		
1		2.31	0.7	1.0
Stature	-0.75	2.39	2.6	2.0
Waist Height	0.38	1.86	2.7	3.0
Sleeve	-1.33	4.11	2.6	2.0
Chest Circ	1.06	4.15	7.6	6.0
Waist Circ	0.30	4.10	10.6	5.0
Buttock Circ	1.97	6.93	3.5	2.0
Foot Breadth	0.20	2.42	1.5	1.0
Foot Length	0.55	2.80	1.2	1.0
Sitting Height	-1.11	3.76	2.8	2.0
Head Circ	-1.58	4.71	5.2	3.0
Menton-Sellion	1.47	4.78	2.5	2.0
Males				
Weight	1.91	6.52	1.8	1.0
Stature	0.56	3.26	2.3	2.0
Waist Height	0.19	2.04	3.6	3.5
Sleeve	0.96	4.08	4.4	2.5
Chest Circ	1.05	3.52	11.3	7.0
Waist Circ	-0.03	2.01	5.2	6.0
Buttock Circ	-0.81	3.40	6.4	5.0
Foot Breadth	0.14	3.06	1.2	1.0
Foot Length	-0.27	2.43	1.0	1.0
Sitting Height	-0.21	2.22	3.7	3.5
Head Circ	0.38	2.24	2.6	2.5
Menton-Sellion	-0.92	4.42	1.4	1.0

Table 16. Interobserver Error Values for USMC and ANSUR Male Female USMC ANSUR Combined USMC ANSUR Combined Weight 1.00 1.20 2.20 1.00 0.80 1.80 Stature 2.00 2.94 4.94 2.00 2.72 4.72 Waist Ht 3.50 2.74 6.24 3.00 2.98 5.98 Sleeve 2.50 3.91 6.41 2.00 2.91 4.91 Chest C 7.00 6.88 13.88 6.00 6.22 12.22 Waist C 6.00 4.33 10.33 5.00 6.34 11.34 5.00 Buttock C 4.37 9.37 2.00 4.15 6.15 Foot Br 1.00 0.60 1.60 1.00 0.56 1.56 Foot L 1.00 0.53 1.53 1.00 0.47 1.47 Sitt Ht 3.50 3.14 6.64 2.00 2.77 4.77 2.50 Head Circl 0.82 3.32 3.00 1.19 4.19

2.01

MenSell

1.00

1.01

2.00

1.05

3.05

USMC Male Matched Database Validation

1. Truncation Using USMC Weight for Height Standards

Table 17 presents the Weight for Height retention standards for USMC males⁴. When the male validation sample was compared to these standards, it was found that the measured Marines met all of the standards for Height and minimum Weight for Height. However, 123 (24.8%) of the measured subjects exceed the maximum Weight for Height standards. Thus, only the Height and minimum Weight requirements were used to truncate the ANSUR male database prior to matching. After truncation, a total of 5103 subjects were still available for matching.

Table 17. Height and Weight Retention Standards for Male USMC Personnel (MCO P6100.3H)							
	Male Weight	Standards					
Height (in)	Minimum Weight (lb)						
60*	100	160**					
61	102	160					
62	103	160					
63	104	160					
64	105	160					
0.5	400	405					
65	106	165					
66	107	170					
67	111	175					
68	115	181					
69	119	186					
70	123	192					
70 71	127	197					
72	131	203					
73	135	209					
73 74	139	214					
/ - 1	159	214					
75	143	219					
76	147	225					
77	151	230					
78	153	235					
-							

^{*}Measurements of 0.5 inches or more are rounded up to the next higher inch and measurements of less than 0.5 inches are rounded down. Each height category is actually a range, so 68 inches is the range 67.5 to 68.5 inches.

^{**}For male standards, 64 inches is the shortest height with a maximum allowable weight standard. This standard was also applied to the shorter height categories.

2. Demographic Only (Race/Age) Matching

The demographic distribution of the truncated ANSUR male database is presented in Table 18. The weighting factors in Table 19 were used to weight the entire truncated database to produce the same demographic distribution of both the weighted male USMC validation sample and the February 1995 USMC male population. The weights were calculated by dividing the number of desired subjects in each age/race cell (Table 8) by the number of available ANSUR subjects (Table 18). As shown in Table 20, the male Marines have significantly larger Chest Circumferences and taller Sitting Heights on average when compared to the Race/Age matched database. The summary statistics in Appendix B also show that the USMC male distribution for Stature tends to be slightly taller and the distribution for Weight is heavier by approximately 5 pounds throughout the percentiles. Because this matching procedure failed to control predominately Weight and Chest Circumference, a second matching procedure was tested in which Race, Age, and Weight were controlled simultaneously.

Table 18	•	Demographic Distribution of Truncated ANSUR Male Database						
	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other		
≤ 20 21-24 25-30 ≥ 31	404 411 402 404	365 363 362 360	205 279 281 282	49 92 120 177	22 34 19 9	117 163 96 87		

Table 19. Demographic Only Match Weighting Factors for Truncated ANSUR Males									
	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other			
≤ 20 21-24 25-30 ≥ 31	0.1733 0.2238 0.1144 0.1361	0.0301 0.0468 0.0331 0.0444	0.0488 0.0430 0.0178 0.0177	0.0408 0.0217 0.0083 0.0056	0.0454 0.0294 0.0526 0.1111	0.0085 0.0061 0.0104 0.0115			

Table 20. T-test Results Comparing Means of USMC Male Sample and Race/Age Match

	USMC Male	Matched Mean	F		t	3
	Mean	IVIEdi	<i>_</i>	р	<u> </u>	р
Stature	1757.97	1754.66	1.02	.818	0.67	.504
Weight	790.90	778.18	1.15	.190	1.65	.100
Waist Height	1061.15	1057.09	1.02	.820	1.08	.280
Sleeve	594.98	599.35	1.01	.912	-1.95	.052
Chest Circ	1009.81	989.21	1.13	.244	3.99	.000*
Waist Circ	872.05	858.16	1.06	.601	2.24	.025
Buttock Circ	992.04	981.11	1.06	.573	2.47	.014*
Foot Breadth	100.18	100.56	1.7	.537	-0.96	.337
Foot Length	269.08	268.90	1.05	.633	0.20	.841
Sitting Height	924.64	915.71	1.12	.286	3.54	.000*
Head Circ	568.80	567.26	1.05	.640	1.38	.167
Menton-Sellion	122.09	121.72	1.09	.429	0.76	.449

^{*}significantly different means at $p \le .05$ using a Bonferroni correction for multiple comparisons

3. Race/Age/Weight Matching

The Weight distribution of the USMC male sample was divided into thirds using the 33.3% (774.929) and the 66.6% (830) values. The demographic distribution of the USMC sample was then determined for each of the Weight ranges (see Table 21). The demographic distribution of the ANSUR subjects in each of the Weight categories was also determined and is presented in Table 22. Weighting factors were calculated for each of the Race/Age/Weight cells (see Table 23). A total of 4447 subjects were included in this match.

On average and throughout the percentiles the USMC males are approximately 7 mm taller for Sitting Height compared to the match. While this difference is statistically significant, the magnitude of the difference is not large considering that the combined interobserver error rate is 6.64 mm. Furthermore, this dimension is usually used for workstation/cockpit design and the difference is not large enough to have an adverse impact when used for such a purpose. Differences between the USMC males and the matched database were negligible for the remaining 11 dimensions. Thus, this matching method was validated and when the weighting factors in Table 23 are applied to the

truncated male ANSUR database, the result is anthropometrically representative of the current male USMC population.

Table 21. USMC Male Demographically Representative Sample Divided into Three Weight Groups Using Percentiles Asian/Pa White Black Hispanic American Mixed/ Total Islander Indian Other Weight < 33.3% (744.929) < 20 21-24 25-30 ≥ 31 Weight 33.3% to 66.6% (744.929 - 830.000) < 20 21-24 25-30 > 31 Weight > 66.6% (830.000) ≤ 20 0. 21-24 25-30 > 31 Total

Table 22. Demographic Distribution of Truncated ANSUR Males in Three Weight Groups

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total		
Weight < 33.3% (744.929)									
< 20	196	201	130	30	14	71	642		
21-24	159	155	142	60	15	 77	608		
25-30	151	119	137	65	5	44	521		
≥ 31	110	88	112	100	3	30	443		
	, , -				_				
Weight 33	3.3% to 66.	.6% (744.	929 - 830.0	00)					
≤ 20	130	99	50	15	7	29	330		
21-24	147	107	81	14	10	46	405		
25-30	107	107	85	28	10	27·	364		
<u>≥</u> 31	119	105	98	43	1	20	386		
Weight >	66.6% (83	0 000)							
< 20	78	65	25	4	1	17	190		
21-24	105	101	56	18	9	40	329		
25-30	144	136	59	27	4	25	395		
> 31	175	167	72	34	5	37	490		
			· -	•	J	•	.00		
Total	1621	1450	1047	438	84	463	5103		

Table 23. Race/Age/Weight Match Weighting Factors for Truncated ANSUR Males

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other				
Weight	Weight < 33.3% (744.929)									
≤ 20	.173469	0.014925	0.038462	0.000000	0.000000	0.000000				
21-24	.207547	0.045161	0.042254	0.016667	0.066667	0.000000				
25-30	.066225	0.025210	0.007299	0.000000	0.000000	0.022727				
≥ 31	.072727	0.056818	0.008928	0.000000	0.333333	0.000000				
Weight	33.3% to 66.	6% (744.929	- 830.000)							
≤ 20	0.138462	0.060606	0.080000	0.066667	0.000000	0.034483				
21-24	0.217687	0.074766	0.037037	0.000000	0.000000	0.000000				
25-30	0.149533	0.028037	0.023529	0.000000	0.100000	0.000000				
≥ 31	0.184874	0.038095	0.030612	0.023256	0.000000	0.050000				
Weight	> 66.6% (83	0.000)								
≤ 20	0.230769	0.030769	0.040000	0.250000	1.000000	0.000000				
21-24	0.257143	0.019802	0.053571	0.055556	0.000000	0.025000				
25-30	0.138889	0.044118	0.033898	0.037037	0.000000	0.000000				
≥ 31	0.142857	0.041916	0.013889	0.000000	0.000000	0.000000				

Table 24. T-test Results Comparing Means of USMC Male Sample and Race/Age/Weight Match

	USMC Male Matched					
	Mean	Mean	F	р	t	р
Stature	1757.97	1759.03	1.00	.981	-0.22	.829
Weight	790.90	790.66	1.11	.319	0.03	.974
Waist Height	1061.15	1060.12	1.00	.967	0.30	.761
Sleeve	594.98	601.13	1.03	.785	-2.75	.006
Chest Circ	1009.81	996.19	1.15	.180	2.65	.008
Waist Circ	872.05	866.60	1.05	.615	0.88	.380
Buttock Circ	992.04	987.55	1.03	.813	0.96	.337
Foot Breadth	100.18	100.90	1.07	.547	-1.84	.066
Foot Length	269.08	269.74	1.03	.746	-0.70	.483
Sitting Height	924.64	917.44	1.11	.319	2.86	.004*
Head Circ	568.80	568.8025	1.04	.693	0.56	.574
Menton-Sellion	122.09	121.9534	1.06	.555	0.29	.774

^{*}significantly different means at $p \le .05$ using a Bonferroni correction for multiple comparisons

USMC Female Matched Database Validation

1. Truncation Using USMC Weight for Height Standards

Table 25 presents the Weight for Height retention standards for USMC females⁴. When the measured USMC female sample was compared to these standards, it was found that most of the female Marines met all of the standards for Height and minimum Weight for Height. A total of three subjects (413, 657, 659) did not meet the minimum Weight requirement for their Height, but in each case the individual was no more than 1.5 pounds below the minimum requirement. Since Weight can easily fluctuate by 1.5 pounds during the course of a single day, these individuals were not considered in violation of the standards. However, since 204 (42.5%) of the measured subjects exceed the maximum weight standards, the maximum allowable weight limit was not used for truncation. Only the Height and minimum Weight requirements were used to truncate the ANSUR female database prior to matching. After truncation, a total of 3446 subjects were still available for matching.

Table 25. Height and Weight Retention Standards for Female USMC Personnel (MCO P6100.3H)									
Female Weight Standards									
Height (in)	Minimum (lb)	Maximum (lb)							
504	00	101							
58*	90	121							
59	92	123							
60	94	125							
61	95	127							
62	98	130							
63	100	134							
64	102	138							
65	104	142							
66	106	147							
67	109	151							
68	112	156							
69	115	160							
70	118	165							
71	122	170							
72	125	175							

^{*}Measurements of 0.5 inches or more are rounded up to the next higher inch and measurements of less than 0.5 inches are rounded down. Each height category is actually a range, so 58 inches is the range 57.5 to 58.5 inches.

2. Demographic Only (Race/Age) Matching

The demographic distribution of the truncated ANSUR female database is presented in Table 26. The weighting factors in Table 27 were used to weight the entire truncated database to have the same demographic distribution of both the weighted female USMC validation sample and the February 1995 USMC female population. The weights were calculated by dividing the number of desired subjects in each age/race cell (Table 12) by the number of available ANSUR subjects (Table 26).

As shown in Table 28, the female Marines have significantly larger Chest Circumferences, smaller Waist Circumferences, taller Sitting Heights, larger Foot Breadths, and larger Head Circumferences on average when compared to the Race/Age matched database. The summary statistics in Appendix C also show that the USMC female distribution for Stature tends to be slightly taller and the distribution for Weight is slightly heavier throughout most of the percentile ranges. Because this matching procedure failed to control both mass related dimensions and linear dimensions, other matching procedures were tested in which Weight and/or Stature were controlled in addition to race and age.

Table 26. Demographic Distribution of Truncated ANSUR Female Database								
	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other		
200000000000000000000000000000000000000								
≤ 20	315	294	52	21	10	51		
21-24	361	336	103	29	19	70		
25-30	350	398	103	41	10	57		
<u>></u> 31	337	329	67	40	9	44		

Table 27. Demographic Only Match Weighting Factors for Truncated ANSUR Females								
	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other		
≤ 20 21-24 25-30 ≥ 31	0.1873 0.1800 0.1114 0.1306	0.0578 0.0744 0.0528 0.0699	0.2308 0.1165 0.0582 0.0896	0.0000 0.1034 0.0000 0.0250	0.2000 0.1053 0.1000 0.0000	0.0196 0.0286 0.0351 0.0227		

Table 28. T-test Results Comparing Means of USMC Female Sample and Race/Age Match

	USMC	Matched				
	Female Mean	Mean	F	р	t	p _
Stature	1630.8277	1626.0861	1.10	.400	1.00	.318
Weight	619.5008	614.3561	1.04	.708	0.84	.400
Waist Height	984.0797	977.6284	1.08	.496	1.78	.076
Sleeve	548.4028	543.1187	1.04	.709	2.34	.020
					•	
Chest Circ	925.6960	907.9307	1.08	.486	3.81	.000*
Waist Circ	755.3844	792.3123	1.34	.007	-2.96	.003*
Buttock Circ	972.9844	964.6738	1.01	.963	1.86	.064
Foot Breadth	90.7859	89.2166	1.07	.557	4.24	.000*
Foot Length	242.7462	242.7064	1.02	.889	0.04	.965
Sitting Height	866.8001	854.7612	1.23	.055	4.86	.000*
Head Circ	552.8178	544.8102	1.08	.481	7.10	.000*
Menton-Sellion	112.7916	113.0622	1.03	.771	-0.59	.555

^{*}significantly different means at $p \le .05$ using a Bonferroni correction for multiple comparisons

3. Race/Age/Weight Matching

First, the USMC sample was divided into thirds using the 33.3% (582) and the 66.6% (651) values for Weight. As shown in Table 29, the demographic distribution of the USMC sample was determined for each of the Weight ranges. Table 30 presents the demographic distribution of the ANSUR female data set in each of the Weight categories and weighting factors were determined for each of the Race/Age/Weight cells (see Table 31). A total of 3201 subjects were available for use in the matching process.

While including Weight as one of the factors in the matching process did improve the results, the same dimensions continue to show significant differences between the means (see Table 32). For this reason, a third matching process was tested based on race, age and Height.

Table 29. Demographically Representative Sample Divided into Three Weight Groups Using Percentiles

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total
	-						
Weight < 3	• •						
≤ 20	15	4	6	0	1	0	26
21-24	25	9	6	2	1	0	43
25-30	11	5	2	0	0	1	19
<u>≥</u> 31	15	4	2	0	0	1.	22
Weight 33.3	3% to 66.6%	(582 - 65	51)				
≤ 20	18	8	4	0	1	1	32
21-24	24	10	3	0	1	1	39
25-30	11	5	2	0	1	1	20
<u>≥</u> 31	16	9	2	1	0	0	28
 Weight > 66	6.6% (651)						
≤ 20	26	5	2	0	0	0	33
21-24	16	6	3	1	0	1	27
25-30	17	11	2	0	0	0	30
<u>≥</u> 31	13	10	2	0	0	0	25
Total	207	86	36	4	5	6	344

Table 30. Distribution of Truncated ANSUR Females in Three Weight Groups

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total
	0.00/ (500)						
Weight < 3	, ,						
<u>≤</u> 20	118	123	35	10	4	31	321
21-24	136	132	47	20	5	32	372
25-30	108	112	43	23	3	17	306
<u>≥</u> 31	101	71	22	17	3	10	224
Weight 33.	3% to 66.6%	% (582 - 6 5	51)				
≤ 20	133	113	13	3	1	14	277
21-24	126	119	42	7	4	21	319
25-30	129	144	29	10	4	22	338
≥ 31	93	102	32	15	4	12	258
Weight > 6	6.6% (651)						
< 20	64	58	4	8	5	6 ·	145
21-24	99	85	14	2	10	17	227
25-30	113	142	31	8	3	18	315
<u>≥</u> 31	143	156	13	8	2	22	344
Total	1363	1357	325	131	48	222	3446

Table 31. Race/Age/Weight Match Weighting Factors for Truncated ANSUR Females in Three Weight Groups

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other			
Weight < 33.3% (744.929)									
≤ 20	0.127119	0.032520	0.171428	0.000000	0.250000	0.000000			
21-24	0.183824	0.068182	0.127660	0.100000	0.200000	0.000000			
25-30	0.101852	0.044643	0.046512	0.000000	0.000000	0.058824			
≥ 31	0.148515	0.056338	0.090909	0.000000	0.000000	0.100000			
Weight 3	3.3% to 66.6	6% (744.929	- 830.000)						
≤ 20	0.135338	0.070796	0.307692	0.000000	1.000000	0.071428			
21-24	0.190476	0.084034	0.071428	0.000000	0.250000	0.047619			
25-30	0.085271	0.034722	0.068966	0.000000	0.250000	0.045454			
≥ 31	0.172043	0.088235	0.062500	0.066667	0.000000	0.000000			
Weight >	66.6% (830	.000)							
≤ 20	0.406250	0.086207	0.500000	0.000000	0.000000	0.000000			
21-24	0.161616	0.070588	0.214286	0.500000	0.000000	0.058824			
25-30	0.150442	0.077465	0.064516	0.000000	0.000000	0.000000			
≥ 31	0.090909	0.064102	0.153846	0.000000	0.000000	0.000000			

Table 32. T-test Results Comparing Means of USMC Female Sample and Race/Age/Weight Match

	USMC	Matched				
	Female Mean	Mean	F	р	t	р
Stature	1630.8277	1629.5349	1.10	.392	0.27	.785
Weight	619.5008	620.6317	1.01	.896	-0.19	.852
Waist Height	984.0797	980.1906	1.09	.402	1.07	.286
Sleeve	548.4028	544.6413	1.04	.728	1.66	.096
Chest Circ	925.6960	911.1602	1.05	.636	3.14	.002*
Waist Circ	775.3844	796.4154	1.29	.020	-3.72	.000*
Buttock Circ	972.9844	969.0532	1.03	.792	0.89	.376
Foot Breadth	90.7859	89.4730	1.07	.559	3.55	.000*
Foot Length	242.7462	243.3648	1.01	.920	-0.68	.499
Sitting Height	866.8001	856.2603	1.22	.068	4.26	.000*
Head Circ	552.8178	545.2025	1.08	.465	6.76	.000*
Menton-Sellion	112.7916	113.2813	1.04	.741	-1.07	.285

^{*}significantly different means at $p \le .05$ using a Bonferroni correction for multiple comparisons

4. Race/Age/Height Matching

The height distribution of the USMC female sample was divided into thirds using the 33.3% (1605.389) and the 66.6% (1655.646) values for Stature. As shown in Table 33, the demographic distribution of the USMC sample was determined for each of the Height ranges. Table 34 presents the demographic distribution of the ANSUR female data set in each of the Height categories, and the calculated weighting factors for the Race/Age/Height cells are presented in Table 35. A total of 3192 subjects were retained in the matching process.

As with the Race/Age/Weight matching, the means for Chest Circumference, Waist Circumference, Foot Breadth, Sitting Height, and Head Circumference remain significantly different (see Table 36). Although the difference between the means did decrease slightly for several dimensions (Waist Circumference, Sitting Height, Head Circumference), it also increased slightly for two dimensions (Chest Circumference, Foot Breadth). As shown in Appendix C, the ability of the matched database to accurately produce percentiles that emulate that of the measured female USMC sample for Chest

Circumference and Buttock Circumference was compromised. Therefore, a fourth matching method was examined based on demographics, Weight, and Height.

Table 33. Demographically Representative Sample Divided into Three										
Height Groups Using Percentiles										
	1.0.5	J. J								
	\	Dinale	l liannuia	A sign (Da	A	NAire of /	T-1-1			
	White	Black	Hispanic	Asian/Pa	American	Mixed/	Total			
				Islander	Indian	Other				
Height < 33.3% (1605.389)										
<u> ≤</u> 20	22	5	7	0	0	0	34			
21-24	20	6	5	2	1	0	34			
25-30	11	7	3	0	0	1	22			
<u>≥</u> 31	13	7	3	0	0	0	23			
Height 33.3% to 66.6% (1605.389-1655.646)										
≤ 20	19	7	4	0	2	0	32			
21-24	26	8	5	0	0	1	40			
25-30	10	6	2	0	1	0	19			
<u>≥</u> 31	14	6	2	1	0	1	24			
_						•				
Height > 66.6% (1655.646)										
≤ 20	18	, 5	1	0	0	1	25			
21-24	19	11	2	1	1	1	35			
25-30	18	8	1	0	0	1	28			
≥ 31	17	10	1	0	0	Ö	28			
-".	• •		•	•	J		20			
Total	207	84	36	4	5	6	344			
1 otal	201					<u> </u>	<u> </u>			

Table 34. Demographic Distribution of Truncated ANSUR Females in Three Height Groups

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other	Total
Height < 33	3.3% (1605.	389)					
<u>≤</u> 20	122	107	40	9	4	29	311
21-24	129	121	56	20	7	37	370
25-30	110	140	62	28	3	27	370
≥ 31	107	119	49	30	1	19	325
Height 33.3	% to 66.6%	6 (1605.38	9-1655.646)			
< 20	97	· 93	7	7	4	12	220
21-24	96	106	24	7	7	14 ·	254
25-30	99	128	30	7	5	16	285
≥ 31	120	94	10	6	7	14	251
Height > 66	6.6% (1655.	646)					
≤ 20	96	94	5	5	2	10	212
21-24	136	109	23	2	5	19	294
25-30	141	130	11	6	2	14	304
≥ 31	110	116	8	4	1	11	250
Total	1363	1357	325	131	48	222	3446

Table 35. Race/Age/Height Match Weighting Factors for Truncated ANSUR Females in Three Height Groups

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other
Height <	33.3% (160	5.389)				
≤ 20	0.180328	0.046729	0.175000	0.000000	0.000000	0.000000
21-24	0.155039	0.049587	0.089286	0.100000	0.142857	0.000000
25-30	0.100000	0.050000	0.048387	0.000000	0.000000	0.037037
≥ 31	0.121495	0.058824	0.061224	0.000000	0.000000	0.000000
Height 33	3.3% to 66.6	% (1605.389	-1655.646)			
< 20	0.195876	0.075269	0.571429	0.000000	0.200000	0.000000
21-24	0.270833	0.075472	0.208333	0.000000	0.000000	0.071428
25-30	0.101010	0.046875	0.066667	0.000000	0.200000	0.000000
≥ 31	0.116667	0.063830	0.200000	0.166667	0.000000	0.071428
Height >	66.6% (165	5.646)				
≤ 20	0.187500	0.053191	0.200000	0.000000	0.000000	0.100000
21-24	0.139706	0.100917	0.086956	0.500000	0.200000	0.052632
25-30	0.127660	0.061538	0.090909	0.000000	0.000000	0.071428
<u>≥</u> 31	0.154545	0.086207	0.125000	0.000000	0.000000	0.000000
L						

Table 36. T-test Results Comparing Means of USMC Female Sample and Race/Age/Height Match

	USMC	Matched				
	Female Mean	Mean	F	р	t	р
Stature	1630.8277	1631.7452	1.04	.739	-0.20	.845
Weight	619.5008	617.9488	1.05	.621	0.25	.800
Waist Height	984.0797	981.5462	1.04	.742	0.70	.481
Sleeve	548.4028	545.1317	1.05	.675	1.45	.148
Chest Circ	925.6960	909.0363	1.09	.438	3.56	.000*
Waist Circ	775.3844	793.4000	1.34	.007	-3.15	.002*
Buttock Circ	972.9844	966.5574	1.02	.891	1.43	.153
Foot Breadth	90.7859	89.4015	1.05	.641	3.73	.000*
Foot Length	242.7462	243.4596	1.02	.829	-0.78	.434
Sitting Height	866.8001	857.2055	1.16	.159	3.93	.000*
Head Circ	552.8178	545.2779	1.06	.571	6.66	.000*
Menton-Sellion	112.7916	113.2164	1.02	.838	-0.92	.355

^{*}significantly different means at $p \le .05$ using a Bonferroni correction for multiple comparisons

5. Race/Age/Height/Weight Matching

The Height and Weight distributions of the USMC female sample were divided into thirds using the 33.3% (Height=1605.389, Weight=744.929) and the 66.6% (Height=1655.646, Weight=830.000) values. As shown in Table 37, the demographic distribution of the USMC sample was determined for each of the 9 Height/Weight cells. Table 38 presents the demographic distribution of the ANSUR female data set in each of the Height/Weight groups, and the weighting factors for each of the cells are presented in Table 39. A total of 2888 subjects were retained in this matching procedure.

When the matched database means are compared to those of the measured USMC female sample, statistically significant differences are present for five of the dimensions (Chest Circumference, Waist Circumference, Foot Breadth, Sitting Height, and Head Circumference). For Waist Circumference, the variances in the two data sets are not equal, making the t-test an invalid test. When the female USMC data are compared to the matched database using a nonparametric test (Mann-Whitney U) that is not sensitive to differences in the variances, then the results indicate that, in fact, the Waist Circumference means are *not* significantly different (p = .06) from each other. When the combined

interobserver error rates of the female USMC data set and the ANSUR database are considered, then only Head Circumference continues to be significantly different (see Table 41).

The magnitude of the differences in means for any of the dimensions considered, however, are not large enough to impact the development of CIE or workstations. In addition, this matching procedure produces the smallest differences overall for both means and percentiles of all the matching procedures investigated. The application of the weighting factors presented in Table 39 to the truncated female ANSUR database yields a database that can be used to accurately estimate the anthropometry of the current USMC female population.

Table	37.			•	•	cally ht G		•					•	Div	ide	d in	to N	line	
		He	iaht •	< 33.	3%		Н	eight	33.3	% to	66.6	%		He	iaht	> 66.	6%		
	W*	В	Н	AP	Al	MO	1	В	Н	AP	Al	MO	W	В	H	AP	Al	МО	Total
21,000,00,191,900,000,00							<u></u>									-			
Weight 4		3%																	
≤ 20	13	4	5	0	0	0	2	0	1	0	0	0	1	0	0	0	0	0	26
21-24	12	3	3	2	1	0	10	3	3	0	0	0	3	3	0	1	1	0	45
25-30	6	2	1	0	0	0	4	2	1	0	0	1	1	1	0	0	0	0	19
≥ 31	7	3	2	0	0	1	6	0	0	0	0	0	2	1	0	0	0	0	22
Weight 33.3% to 66.6%																			
≤ 20	7	1	2	0	0	0	8	4	2	0	0	1	3	3	0	0	0	0	31
21-24	7	2	2	0	0	0	10	4	0	0	0	1	7	4	1	0	1	0	39
25-30	4	3	1	0	0	0	3	0	0	0	0	0	4	2	1	0	1	0	19
≥ 31	4	4	0	0	0	0	4	4	1	0	0	0	7	1	1	0	0	0	26
 Weight >	> 66.6	3%																	
≤ 20	2	1	0	0	0	0	10	2	1	0	0	0	14	2	1	0	0	0	33
21-24	2	1	0	0	0	0	6	1	2	1	0	0	8	4	1	0	0	1	27
25-30	1	1	1	0	0	0	3	5	1	0	0	0	13	5	0	0	1	0	31
≥ 31	2	0	1	0	0	0	4	2	1	0	0	1	7	8	0	0	0	0	26
Total	67	25	18	2	1	1	70	27	13	1	0	4	70	34	5	1	4	1	344

*W=White; B=Black; H=Hispanic; AP=Asian/Pacific Islander; Al=American Indian; MO=Mixed/Other

Table 38. Demographic Distribution of Truncated ANSUR Females in Nine Height/Weight Groups

Height < 33.3% Height 33.3% to 66.6% Height > 66.6% W* B H AP AI MO W B H AP AI MO W B H AP AI MO TO Weight < 33.3%

	W*	В	Н	AP	Al	MO	W	В	Н	AP	Al	MO	W	В	Н	AP	Al	MO	Total
															-				
Weight <	< 33.	3%																	
<u><</u> 20	73	69	30	9	3	24	29	35	5	1	1	4	16	19	0	0	0	3	321
21-24	72	68	33	17	3	24	37	45	10	2	2	6	27	19	4	1	0	2	372
25-30	56	67	35	22	2	16	32	34	7	1	1	1	20	11	1	0	0	0	306
≥ 31	62	43	21	16	1	9	31	17	1	0	2	1	8	11	0	1	0	0	224
Weight 3	33.3%	6 to 6	6.6%	.									_						
≤ 20	39	32	9	0	1	4	53	41	1	3	0	6	41	40	3	0	0	4	277
21-24	38	38	20	3	2	12	38	44	12	4	1	4	50	37	10	0	1	5	319
25-30	35	50	17	5	1	9	44	55	8	4	3	10	50	39	4	1	0	3	338
≥ 31	28	47	24	11	0	5	37	34	4	3	4	6	28	21	4	1	0	1	258
Weight >	> 66.6	6%																	
≤ 20	10	6	1	0	0	1	15	17	1	3	3	2	39	35	2	5	2	3	145
21-24	19	15	3	0	2	1	21	17	2	1	4	4	59	53	9	1	4	12	227
25-30	19	23	10	1	0	2	23	39	15	2	1	5	71	80	6	5	2	11	315
<u>≥</u> 31	17	29	4	3	0	5	52	43	5	3	1	7	74	84	4	2	1	10	344
Total	468	487	207	87_	15	112	412	421	71	27	23	56	483	449	47	17	10	54	3446

*W=White; B=Black; H=Hispanic; AP=Asian/Pacific Islander; Al=American Indian; MO=Mixed/Other

Table 39. Race/Age/Height/Weight Match Weighting Factors for Truncated ANSUR Females in Height/Weight Groups

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other			
		eight < 33.3%							
≤ 20	0.178082	0.057971	0.166667	0.000000	0.000000	0.000000			
21-24	0.166667	0.044118	0.090909	0.117647	0.333333	0.000000			
25-30	0.107143	0.029851	0.028571	0.000000	0.000000	0.000000			
≥ 31	0.112903	0.069767	0.095238	0.000000	0.000000	0.111111			
Weight < 33.3% and Height 33.3% to 66.6%									
≤ 20	0.068966	0.000000	0.200000	0.000000	0.000000	0.000000			
21-24	0.270270	0.066667	0.300000	0.000000	0.000000	0.000000			
25-30	0.125000	0.058824	0.142857	0.000000	0.000000	1.000000			
<u>≥</u> 31	0.193548	0.000000	0.000000	0.000000	0.000000	0.000000			
1						j			
Weight < 3	3.3% and He	ight > 66.6%							
≤ 20	0.062500	0.000000	0.000000	0.000000	0,000000	0.000000			
21-24	0.111111	0.157895	0.000000	1.000000	0.000000	0.000000			
25-30	0.050000	0.090909	0.000000	0.000000	0.000000	0.000000			
<u>≥</u> 31	0.250000	0.090909	0.000000	0.000000	0.000000	0.000000			
Mojaht 22	20/ 10 66 60/	and Height <	22 20/						
< 20	0.179487	0.031250	აა.ა% 0.222222	0.000000	0.00000	0.000000			
21-24	0.179467	0.051250	0.22222	0.000000	0.000000 0.000000	0.000000			
25-30	0.104211	0.052632	0.058824	0.000000	0.000000	0.000000			
≥ 31	0.1142857	0.085106	0.000000	0.000000	0.000000	0.000000			
231	0.142037	0.003100	0.000000	0.000000	0.000000	0.000000			
		and Height 33							
≤ 20	0.150943	0.097561	2.000000	0.000000	0.000000	0.166667			
21-24	0.263158	0.090909	0.000000	0.000000	0.500000	0.250000			
25-30	0.068182	0.000000	0.000000	0.000000	0.000000	0.000000			
<u>≥</u> 31	0.108108	0.117647	0.250000	0.000000	0.000000	0.000000			
Weight 33.3	Weight 33.3% to 66.6% and Height > 66.6%								
≤ 20	0.073171	0.075000	0.000000	0.000000	0.000000	0.000000			
21-24	0.140000	0.108108	0.100000	0.000000	1.000000	0.000000			
25-30	0.080000	0.051282	0.250000	0.000000	0.000000	0.000000			
≥ 31	0.250000	0.047619	0.250000	0.000000	0.000000	0.000000			

Table 39. (Cont.) Race/Age/Height/Weight Match Weighting Factors for Truncated ANSUR Females in Height/Weight Groups

	White	Black	Hispanic	Asian/Pa Islander	American Indian	Mixed/ Other
Weight > 6	6.6% and He	ight < 33.3%				
≤ 20	0.200000	0.166667	0.000000	0.000000	0.000000	0.000000
21-24	0.105263	0.066667	0.000000	0.000000	0.000000	0.000000
25-30	0.052632	0.043478	0.100000	0.000000	0.000000	0.000000
≥ 31	0.117647	0.000000	0.250000	0.000000	0.000000	0.000000
Weight > 6	6.6% and He	ight 33.3% to	66.6%			
≤ 20	0.666667	0.117647	1.000000	0.000000	0.000000	0.000000
21-24	0.285714	0.058824	1.000000	1.000000	0.000000	0.000000
25-30	0.130435	0.128205	0.066667	0.000000	0.000000	0.000000
≥ 31	0.076923	0.046512	0.200000	0.000000	0.000000	0.142857
Weight > 6	6.6% and He	ight > 66.6%				
≤ 20	0.358974	0.057143	0.500000	0.000000	0.000000	0.000000
21-24	0.135593	0.075472	0.111111	0.000000	0.000000	0.083333
25-30	0.183099	0.062500	0.000000	0.000000	0.500000	0.000000
≥ 31	0.094595	0.095238	0.000000	0.000000	0.000000	0.000000
L		· · · · · · · · · · · · · · · · · · ·				

Table 40. T-test Results Comparing Means of USMC Female Sample and Race/Age/Height/Weight Match

	USMC	Race/Age				
	Female Mean	Match Mean	F	р	t	р
Stature	1630.8277	1631.5159	1.04	.722	-0.15	.883
Weight	619.5008	621.8234	1.06	.583	-0.38	.706
Waist Height	984.0797	981.6568	1.03	.762	0.67	.500
Sleeve	548.4028	545.3254	1.05	.680	1.36	.173
Chest Circ	925.6960	911.3294	1.09	.411	3.07	.002*
Waist Circ	775.3844	795.6203	1.31	.014	-3.56	.000*
Buttock Circ	972.9844	969.0142	1.00	.977	0.89	.375
Foot Breadth	90.7859	89.5170	1.04	.686	3.41	.001*
Foot Length	242.7462	243.6255	1.01	.926	-0.96	.337
Sitting Height	866.8001	857.2196	1.17	.147	3.91	.000*
Head Circ	552.8178	545.4959	1.07	.554	6.47	.000*
Menton-Sellion	112.7916	113.3123	1.04	.697	-1.14	.255

^{*}significantly different means at $p \le .05$ using a Bonferroni correction for multiple comparisons

Table 41. T-test Results Adjusted for Interobserver Error Comparing Means of USMC Female Sample and Race/Age/Height/ Weight Match

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USMC Female Mean	Race/Age Match Mean	F	р	t	р
Chest Circ Foot Breadth Sitting Height Head Circ	925.6960 90.7859 866.8001 552.8178	923.5494 91.0770 861.9896 549.6859	1.09 1.04 1.17 1.07	.411 .686 .147	0.46 -0.78 1.97 2.77	.647 .434 .050 .006 *

^{*}significantly different means at $p \le .05$ using a Bonferroni correction for multiple comparisons

References

- 1. White, R.M., and E. Churchill. 1977. *United States Marine Corps Anthropometry*. Technical Report NATICK/TR-78/021, US Army Natick Research and Development Command, Natick, Massachusetts.
- 2. Gordon, C. 1992. Memorandum for record, STRNC-YB, 22 November 1992, Subject: Validation of Methods Used in Creating a Female Pilot Database.
- 3. Gordon, C.C., T. Churchill, C.E. Clauser, B. Bradtmiller, J.T. McConville, I. Tebbetts, R.A. Walker. 1989. 1988 Anthropometric Survey of U.S. Army Personnel: Methods and Summary Statistics. Technical Report NATICK/TR-89/044, US Army Natick, Research, Development, and Engineering Center, Natick, Massachusetts.
- 4. Marine Corps Order P6100.3H

APPENDICES

Appendix A Resampling Stats Program for Interobserver Error Analysis

Appendix A Resampling Stats Program for Interobserver Error Analysis

The following is a Resampling Stats program to test directionality for Menton-Sellion Length interobserver error data collected on females during the USMC validation study.

'What is the probability that M1 measured larger 4 of 12 attempts, with 1 tie, 'for the female sample (Menton-Sellion Length), given that a total of 487 'female subjects were measured during the study?

'Create a vector with 488 observations in which M1 measured larger 244 times '(value is 1) and M2 measured larger 244 times (value is 2)

CONCAT 244#1 244#2 VAR

MAXSIZE X 10000

MAXSIZE Y 10000

REPEAT 10000

SHUFFLE VAR A

'Take 12 test-retest samples from all subjects measured

SAMPLE 12 A B

'Count the number of times M1 measured larger

COUNT B = 1 C

'Calculate the percentage of times M1 measured larger

DIVIDE C 12 D

SCORE D X

END

COUNT X <= .3333 Y

DIVIDE Y 10000 Z

PRINT Z

'Z equals the probability of observing M1 measuring larger than M2 in 4 out of 12 'attempts from a random sample of 12 drawn from 488 possible remeasures in a 'universe where 50% of the time M1 measures larger and 50% of the time M2 'measures larger

APPENDIX B

Male Matching Results: Summary Statistics

APPENDIX B
Male Matching Results: Summary Statistics

Stature

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
<u></u>	n=493	n=5103		n=4447	
Mean	1757.97	1754.66	3.31	1759.03	-1.06
St Dev	66.44	67.24	-0.80	66.52	-0.08
Min	1558.00	1513.00	45.00	1513.00	45.00
Max	1912.00	1980.00	-68.00	1980.00	-68.00
%	_				
1st	1597.65	1600.03	-2.38	1608.13	-10.48
2nd	1627.36	1617.22	10.14	1624.01	3.35
3rd	1635.66	1627.27	8.38	1632.42	3.23
5th	1651.00	1643.67	7.33	1650.41	0.59
10th	1674.00	1669.54	4.46	1673.40	0.60
15th	1690.59	1685.00	5.59	1690.13	0.47
20th	1705.00	1689.38	15.62	1702.00	3.00
25th	1713.00	1708.00	5.00	1713.00	0.00
30th	1722.00	1718.00	4.00	1723.00	-1.00
35th	1729.00	1727.00	2.00	1732.00	-3.00
40th	1735.00	1736.00	-1.00	1742.00	-7.00
45th	1745.00	1745.99	-0.99	1751.00	-6.00
50th	1755.97	1755.00	0.97	1759.26	-3.29
55th	1766.00	1762.94	3.06	1766.34	-0.34
60th	1774.00	1771.00	3.00	1775.00	-1.00
65th	1785.00	1780.91	4.09	1785.00	0.00
70th 75th	1795.00	1790.14	4.86 5.31	1794.58 1804.76	0.42
/5Մ1 80th	1805.21 1819.00	1800.00 1812.00	5.21		0.45
85th	1830.00	1825.04	7.00 4.96	1816.29	2.71
90th	1847.52	1842.00		1829.98	0.03 2.44
95th	1874.59	1868.34	5.52 6.25	1845.07 1869.75	2. 44 4.83
ฮอนเ	1074.59	1000.34	0.23	1009.73	4.03
97th	1883.00	1881.41	1.59	1884.16	-1.16
98th	1894.14	1894.34	-0.20	1897.01	-2.87
99th	1906.09	1915.27	-9.18	1918.06	-11.97

Weight

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	790.90	778.18	12.72	790.66	0.25
St Dev	100.72	107.89	-7.18	106.13	-5.41
Min	533.00	476.00	57.00	476.00	57.00
Max	1106.00	1333.00	-227.00	1333.00	-227.00
<u>%</u>					
1st	564.01	560.01	4.00	568.42	-4.41
2nd	590.11	585.20	4.92	595.09	-4.98
3rd	604.00	598.04	5.97	607.01	-3.01
					•
5th	618.50	616.25	2.24	625.38	- 6.89
10th	663.81	646.38	17.43	655.11	8.70
15th	689.05	666.48	22.57	679.87	9.19
20th	707.64	686.30	21.34	702.03	5.61
25th	723.00	704.00	19.00	716.84	6.16
30th	737.00	716.00	21.00	736.25	0.75
35th	747.00	731.58	15.42	750.00	-3.00
40 th	763.00	743.54	19.46	761.37	1.63
45th	775.47	757.00	18.47	773.00	2.47
50th	791.97	770.21	21.76	785.00	6.97
55th	804.00	784.00	20.00	796.88	7.12
60th	816.88	796.81	20.07	810.00	6.88
65th	827.01	811.99	15.02	824.14	2.88
70th	837.15	826.89	10.26	839.00	-1.85
75th	860.13	843.66	16.47	854.00	6.13
80th	879.61	863.31	16.31	875.71	3.90
85th	898.58	887.87	10.71	895.22	3.35
90th	926.65	918.28	8.37	926.68	-0.03
95th	953.69	977.16	-23.47	984.53	-30.83
0745	000 57	4044.44	04.50	4040.00	66.74
97th	989.57	1011.14	-21.58	1013.30	-23.74
98th	996.55	1037.21	-40.66	1039.15	-42.60
99th	1025.45	1082.23	-56.78	1082.20	-56.75

Waist Height (Omphalion)

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	1061.15	1057.09	4.06	1060.02	1.14
St Dev	50.44	51.05	<i>-</i> 0.60	50.55	-0.11
Min	886.00	861.00	25.00	861.00	25.00
Max	1213.00	1254.00	-41.00	1254.00	-41.00
<u>%</u>					
1st	937.55	937.30	0.25	941.21	-3.66
2nd	959.57	951.81	7.76	956.17	3.40
3rd	969.00	961.41	7.59	963.36	5.64
5th	979.76	973.34	6.42	977.20	2.56
10th	998.00	991.00	7.00	994.85	3.15
15th	1009.93	1005.00	4.93	1007.94	1.99
20 th	1017.00	1015.00	2.00	1018.00	-1.00
25th	1026.48	1023.06	3.42	1027.00	-0.52
30th	1032.11	1031.00	1.11	1034.00	-1.89
35th	1040.91	1037.00	3.91	1040.00	0.91
40th	1049.00	1043.76	5.24	1046.00	3.00
45th	1054.00	1050.00	4.00	1054.00	0.00
50th	1061.00	1057.00	4.00	1060.00	1.00
55th	1068.00	1063.00	5.00	1066.00	2.00
60th	1074.59	1070.00	4.59	1072.94	1.65
65th	1079.00	1076.09	2.91	1078.93	0.07
70th	1087.00	1083.73	3.27	1086.31	0.69
75th	1095.34	1092.00	3.34	1094.00	1.34
80th	1104.29	1100.00	4.29	1102.70	1.59
85th	1115.29	1110.00	5.29	1112.00	3.29
90th	1128.61	1122.70	5.91	1125.00	3.61
95th	1146.14	1142.77	3.37	1144.29	1.85
97th	1154.48	1153.40	4 00	1154.65	0.46
98th	1164.06	1163.40	1.08	1154.65	-0.16
99th	1178.45	1179.15	0.74	1164.55	-0.49
ฮฮนเ	1170.40	11/9.10	-0.71	1179.32	-0.87

Sleeve Outseam

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	594.98	599.36	-4.37	601.13	-6.14
St Dev	30.43	30.25	0.18	30.00	0.43
Min	510.00	480.00	30.00	480.00	30.00
Max	710.00	715.00	-5.00	715.00	-5.00
<u>%</u>	•				
1st	520.04	531.30	-11.27	533.15	-13.12
2nd	537.43	539.30	-1.87	540.52	-3.08
3rd	540.00	542.76	-2.76	544.00	-4.00
e	F 47 70	540.00	0.40	550.00	4.04
5th	547.79	549.92	-2.13	552.00	-4.21 5.75
10th	556.43	561.00	-4.57	562.18	-5.75 5.00
15th	565.00 570.00	568.00 573.93	-3.00	570.00 575.50	-5.00 5.50
20th	570.00	573.83 570.00	-3.83	575.59 584.00	-5.59
25th	573.00	579.00 593.00	-6.00 5.00	581.00 585.00	-8.00 7.00
30th	578.00	583.00 588.00	-5.00 8.00	585.00	-7.00 10.00
35th	580.00 585.00	500.00 591.28	-8.00 -6.28	590.00 593.00	-10.00 8.00
40th 45th	590.00	591.26 595.00	-5.26 -5.00	593.00 597.00	-8.00 -7.00
50th	594.00	599.00	-5.00 -5.00	601.00	-7.00 -7.00
55th	599.00	602.00	-3.00 -3.00	604.00	-7.00 -5.00
60th	603.11	606.00	-2.89	608.00	-4.89
65th	607.00	611.00	-4.00	612.00	-5.00
70th	611.58	615.00	-3.42	617.00	-5.42
75th	615.00	620.00	-5.00	622.00	-7.00
80th	620.62	625.22	-4.60	626.65	-6.03
85th	627.89	631.00	-3.11	632.22	-4.32
90th	635.00	638.00	-3.00	640.00	-5.00
95th	645.00	649.67	-4.67	650.33	-5.33
97th	650.00	658.16	- 8.16	659.12	-9.12
98th	655.00	665.29	-10.29	666.12	-11.12
99th	674.88	674.24	0.64	674.41	0.47

Chest Circumference

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	1009.81	989.21	20.60	996.19	13.61
St Dev	71.89	67.62	4.27	67.01	4.88
Min	817.00	775.00	42.00	775.00	42.00
Max	1208.00	1330.00	-122.00	1330.00	-122.00
<u> </u>	•				
1st	843.90	851.44	-7.53	854.13	-10.23
2nd	863.24	865.08	-1.84	871.21	-7.97
3rd	874.53	874.60	- 0.07	877.53	-2.99
5th	894.00	886.62	7.38	891.78	2.22
10th	915.88	904.25	11.63	911.97	3.91
15th	930.69	919.00	11.69	926.50	4.19
20th	945.00	931.00	14.00	939.00	6.00
25th	960.20	942.38	17.82	950.24	9.96
30th	971.39	952.00	19.39	959.00	12.39
35th	981.22	959.91	21.31	968.00	13.22
40th	990.38	968.00	22.38	976.59	13.79
45th	1000.00	976.00	24.00	986.00	14.00
50th	1009.30	985.67	23.63	993.00	16.30
55th	1017.41	993.00	24.41	1002.00	15.41
60th	1030.36	1002.73	27.63	1009.00	21.36
65th	1040.00	1010.78	29.22	1019.00	21.00
70th	1050.29	1021.00	29.29	1029.00	21.29
75th	1062.00	1032.54	29.46	1038.83	23.17
80th	1073.47	1044.00	29.47	1048.77	24.71
85th	1089.08	1057.00	32.08	1062.83	26.25
90th	1102.00	1077.45	24.55	1083.48	18.52
95th	1130.00	1111.20	18.80	1115.78	14.22
97th	1140.00	1129.54	10.46	4422.00	7.00
98th	1149.76	1147.10	10.46	1132.02	7.98
99th	1149.76	1174.03	2.66 6.85	1148.25	1.51
ฮฮนา	1107.10	1174.03	-6.85	1173.12	-5.94

Waist Circumference (Omphalion)

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	872.05	858.17	13.89	866.60	5.45
St Dev	82.63	84.93	- 2.30	84.84	-2.21
Min	690.00	640.00	50.00	650.00	40.00
Max	1102.00	1281.00	-179.00	1281.00	-179.00
1st	703.31	703.10	0.20	706.11	-2.80
2nd	721.00	713.47	7.53	718.01	2.99
3rd	725.71	724.40	1.31	728.20	-2.49
ľ					
5th	745.22	736.34	8.88	741.73	3.50
10th	761.77	754.91	6.86	761.56	0.21
15th	783.20	770.27	12.93	775.85	7.34
20th	791.88	782.00	9.88	789.78	2.10
25th	807.00	794.40	12.60	802.94	4.06
30th	822.18	805.00	17.18	814.00	8.18
35th	835.00	816.00	19.00	826.56	8.44
40th	848.00	827.65	20.35	837.00	11.00
45th	856.37	838.00	18.37	848.89	7.48
50 th	867.50	849.08	18.42	860.27	7.23
55th	876.00	860.72	15.28	870.14	5.86
60th	894.00	871.15	22.85	882.00	12.00
65 th	905.77	883.00	22.77	894.69	11.08
70th	922.00	897.28	24.72	909.04	12.96
75th	934.21	914.00	20.21	923.00	11.21
80th	949.93	930.28	19.65	940.32	9.61
85th	967.00	954.69	12.31	961.38	5.62
90th	985.33	977.50	7.83	984.66	0.67
95th	1008.70	1013.36	-4.66	1018.30	-9.60
97th	1030.26	1035.17	-4.91	1039.10	-8.83
98th	1034.20	1049.22	-15.02	1050.08	-15.88
99th	1061.55	1087.05	-25.49	1086.22	- 24.67

Buttock Circumference

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	992.04	981.11	10.93	987.83	4.21
St Dev	58.82	60.58	-1.77	59.55	-0.73
Min	837.00	802.00	35.00	808.00	29.00
Max	1160.00	1286.00	-126.00	1286.00	-126.00
%	-				
1st	860.92	851.14	9.78	856.02	4.89
2nd	875.00	869.28	5.72	873.01	1.99
3rd	882.31	876.27	6.04	881.11	1.19
5th	894.79	888.23	6.56	894.60	0.19
10th	910.70	905.92	4.77	912.34	-1.64
15th	928.13	919.00	9.13	925.00	3.13
20th	942.16	928.00	14.16	936.86	5.30
25th	952.20	938.00	14.20	946.00	6.20
30th	961.00	946.00	15.00	955.00	6.00
35th	968.00	954.00	14.00	962.00	6.00
40th	975.00	961.00	14.00	971.00	4.00
45th	984.00	970.00	14.00	979.53	4.47
50th	992.00	979.00	13.00	986.34	5.66
55th	1000.00	986.00	14.00	993.00	7.00
60th	1009.00	993.34	15.66	1001.00	8.00
65th	1015.00	1002.00	13.00	1009.00	6.00
70th	1023.00	1011.71	11.29	1019.00	4.00
75th	1035.00	1021.75	13.25	1027.00	8.00
80th	1044.50	1032.00	12.50	1038.00	6.50
85th	1058.00	1045.00	13.00	1049.45	8.55
90th	1066.00	1060.78	5.22	1065.00	1.00
95th	1089.00	1084.61	4.39	1088.26	0.74
074	4460.00	4400.00	2.22		
97th	1100.00	1106.06	-6.06	1108.07	-8.07
98th	1109.14	1119.49	-10.35	1123.02	-13.89
99th	1124.89	1141.07	-16.18	1141.17	-16.27

Foot Breadth

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	100.19	100.56	-0.37	100.90	-0.72
St Dev	5.35	5.18	0.17	5.18	0.17
Min	85.00	80.00	5.00	80.00	5.00
Max	123.00	123.00	0.00	123.00	0.00
%					
1st	89.00	89.00	0.00	89.26	-0.26
2nd	90.00	90.00	0.00	91.00	-1.00
3rd	90.90	91.00	-0.10	92.00	-1.10
5th	91.76	92.00	-0.24	92.29	-0.53
10th	93.00	94.00	-1.00	94.00	-1.00
15th	95.00	95.00	0.00	96.00	-1.00
20th	96.00	96.00	0.00	97.00	-1.00
25th	97.00	97.00	0.00	97.00	0.00
30th	97.00	98.00	-1.00	98.00	-1.00
35th	98.00	98.40	-0.40	99.00	-1.00
40th	99.00	99.00	0.00	100.00	-1.00
45th	99.00	100.00	-1.00	100.00	-1.00
50th	100.00	100.00	0.00	101.00	-1.00
55th	101.00	101.00	0.00	101.00	0.00
60th	101.00	102.00	-1.00	102.00	-1.00
65th	102.00	102.00	0.00	103.00	-1.00
70th	103.00	103.00	0.00	103.00	0.00
75th	104.00	104.00	0.00	104.00	0.00
80th	105.00	105.00	0.00	105.00	0.00
85th	106.00	106.00	0.00	106.00	0.00
90th	107.00	107.00	0.00	108.00	-1.00
95th	109.00	109.78	-0.78	110.00	-1.00
97th	110.00	110.87	-0.87	111.00	-1.00
98th	111.09	112.00	-0.91	112.13	-1.05
99th	114.00	114.22	-0.22	114.95	-0.95

Foot Length

1	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	269.09	268.90	0.19	269.75	-0.66
St Dev	12.59	12.91	-0.32	12.80	-0.22
Min	233.00	223.00	10.00	223.00	. 10.00
Max	308.00	318.00	-10.00	318.00	-10.00
%					
1st	240.15	238.34	1.80	239.23	0.00
2nd	244.00	230.3 4 241.75	2.25		0.92
3rd	246.00	241.73		243.38	0.62
Siu	240.00	243.00	1.00	246.00	0.00
5th	248.90	248.00	0.90	249.00	-0.10
10th	253.00	252.09	0.91	253.00	0.00
15th	255.00	256.00	-1.00	256.24	-1.24
20th	258.00	258.00	0.00	259.00	-1.00
25th	260.00	260.00	0.00	261.00	-1.00
30th	262.00	262.00	0.00	263.00	-1.00
35th	264.00	264.00	0.00	264.40	-0.40
40th	266.00	265.00	1.00	266.00	0.00
45th	267.00	267.00	0.00	268.00	-1.00
50th	269.00	268.62	0.38	269.04	-0.04
55th	270.00	270.00	0.00	271.00	-1.00
60th	272.00	272.00	0.00	273.00	-1.00
65th	274.00	273.90	0.10	274.39	-0.39
70th	275.37	275.32	0.05	276.00	-0.63
75th	278.00	277.00	1.00	278.00	0.00
80th	280.00	280.00	0.00	280.00	0.00
85th	283.00	282.00	1.00	283.00	0.00
90th	285.00	286.00	-1.00	287.00	- 2.00
95th	290.00	291.00	-1.00	291.97	-1.97
97th	292.00	295.00	-3.00	296.00	-4.00
98th	293.00	297.07	-4 .07	297.20	-4.20
99th	299.46	300.46	-0.99	300.27	-0.81

Sitting Height

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	-
Mean	924.64	915.71	8.93	917.44	7.20
St Dev	33.07	34.97	-1.90	34.84	-1.77
Min	825.00	779.00	46.00	779.00	46.00
Max	1005.00	1041.00	-36.00	1041.00	-36.00
<u>%</u>	1				
1st	845.64	832.18	13.46	834.06	11.58
2nd	854.00	843.26	10.74	845.20	8.80
3rd	858.19	850.41	7.78	852.01	6.18
		070.00			
5th	869.02	859.00	10.02	860.21	8.81
10th	883.00	871.06	11.94	872.56	10.44
15th	889.25	879.00	10.25	881.00	8.25
20th	897.77	885.49	12.28	887.82	9.95
25th	901.00	891.66	9.34	893.27	7.73
30th	908.71	897.85	10.86	899.23	9.48
35th	912.00	902.00	10.00	904.00	8.00
40th	917.00	907.00	10.00	908.00	9.00
45th	920.07	911.00	9.07	913.00	7.07
50th	925.00	915.67	9.33	918.00	7.00
55th	929.00	920.00	9.00	922.00	7.00
60th	932.00	925.00	7.00	926.00	6.00
65th 70th	938.73 944.00	929.27	9.46	932.00	6.73
		934.89	9.11	936.65	7.35
75th 80th	949.92 954.00	940.81	9.11	942.00	7.92
85th	954.00 959.48	945.28 952.89	8.72 6.50	947.00	7.00
	968.43	961.00	6.59	954.00	5.48 5.60
90th 95th	978.68	973.06	7.43 5.62	962.74	. 5.69
33UI	<i>91</i> 0.00	913.00	5.62	974.04	4.63
97th	986.00	980.47	5.53	981.28	4.72
98th	989.32	986.18	3.14	986.94	2.37
99th	998.74	997.11	1.63	997.37	2.37 1.38
00411	000.14	557.11	1.00	331.31	1.30

Head Circumference

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	568.80	567.23	1.58	568.18	0.63
St Dev	14.91	15.28	-0.37	15.23	-0.31
Min	529.00	514.00	15.00	514.00	15.00
Max	624.00	633.00	-9.00	633.00	-9.00
!					
<u> </u>					
1st	532.86	533.01	-0.15	533.40	-0.54
2nd	537.45	536.64	0.81	537.52	-0.08
3rd	543.03	539.00	4.03	540.24	2.80
5th	545.00	542.57	2.43	543.00	2.00
10th	550.00	548.00	2.00	549.00	1.00
15th	554.00	552.00	2.00	553.00	1.00
20th	557.00	554.00	3.00	555.71	1.29
25th	558.00	557.00	1.00	558.00	0.00
30th	560.86	559.00	1.86	560.00	0.86
35th	564.00	561.00	3.00	562.00	2.00
40th	565.00	563.00	2.00	564.00	1.00
45th	567.00	565.00	2.00	566.00	1.00
50th	568.00	567.00	1.00	568.00	0.00
55 th	570.00	569.00	1.00	570.00	0.00
60th	572.00	571.00	1.00	572.00	0.00
65th	574.00	573.00	1.00	574.00	0.00
70th	576.00	575.00	1.00	576.00	0.00
75th	578.00	577.00	1.00	578.00	0.00
80th	581.00	580.00	1.00	581.00	0.00
85th	584.00	583.00	1.00	583.00	1.00
90th	588.00	586.86	1.14	587.14	0.86
95th	595.00	592.62	2.38	593.81	1.19
074	500.00	E07.00	4.00	E00 64	-0.64
97th	598.00	597.00 601.55	1.00	598.64	
98th	601.06	601.55	-0.50	602.00	-0.94
99th	607.02	606.29	0.73	606.47	0.55

Menton-Sellion Length

	USMC Males	Race/Age Match	USMC-Race/ Age Match	Race/Age/Wt Match	USMC-Race/ Age/Wt Match
	n=493	n=5103		n=4447	
Mean	122.09	121.73	0.37	121.95	0.14
St Dev	6.71	6.44	0.27	6.51	0.21
Min	105.00	100.00	5.00	100.00	5.00
Max	143.00	149.00	-6.00	149.00	-6.00
<u></u> %					
1st	107.00	107.00	0.00	107.00	0.00
2nd	108.00	109.00	-1.00	109.00	-1.00
3rd	109.00	110.00	-1.00	110.00	-1.00
			4.00	444.00	0.40
5th	112.00	111.00	1.00	111.82	0.18
10th	114.00	114.00	0.00	114.00	0.00
15th	115.00	115.00	0.00	115.00	0.00
20th	116.00	116.00	0.00	116.00	0.00
25th	117.00	117.00	0.00	117.00	0.00
30th	118.00	118.00	0.00	118.00	0.00
35th	120.00	119.00	1.00	119.00	1.00
40th	120.00	120.00	0.00	120.00	0.00
45th	121.00	121.00	0.00	121.00	0.00 0.00
50th	122.00	122.00	0.00	122.00 122.42	0.58
55th	123.00	122.00	1.00 0.00	122.42	0.00
60th	123.00	123.00 124.00	0.00	124.00	0.00
65th	124.00 126.00	124.00	1.00	125.00	1.00
70th	126.00	125.00	0.00	126.00	0.00
75th	120.00	120.00	0.00	127.00	0.00
80th		127.00	1.00	129.00	0.00
85th	129.00 131.00	130.00	1.00	130.00	1.00
90th	i		1.00	133.00	1.00
95th	134.00	132.97	1.03	133.00	1.00
97th	136.00	134.00	2.00	134.99	1.01
97th	137.00	134.00	1.00	136.99	0.01
90th	140.00	138.37	1.63	139.00	1.00
ฮฮนเ	1 140.00	130.37	1.00	100.00	1.00

APPENDIX C Female Matching Results: Summary Statistics

APPENDIX C
Female Matching Results: Summary Statistics

Stature

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	1630.83	1626.09	4.74	1629.54	1.29
St Dev	60.70	63.52	-2.83	63.57	-2.88
Min	1462.00	1460.00	2.00	1460.00	2.00
Max	1833.00	1836.00	-3.00	1836.00	-3.00
%					
1st	1491.98	1485.16	6.82	1486.05	5.94
2nd	1508.89	1499.28	9.62	1501.20	7.69
3rd	1518.00	1508.03	9.97	1513.09	4.91
5th (1527.36	1523.79	3.57	1527.15	0.21
10th	1553.00	1546.00	7.00	1549.93	3.07
15th	1567.00	1560.73	6.27	1564.00	3.00
20th [1579.63	1572.00	7.63	1576.00	3.63
25th	1592.46	1581.09	11.38	1585.00	7.46
30th	1600.00	1590.00	10.00	1593.00	7.00
35th	1607.71	1598.88	8.83	1602.00	5.71
40th	1616.57	1607.00	9.57	1609.59	6.98
45th	1625.00	1615.00	10.00	1619.15	5.85
50th	1631.00	1624.00	7.00	1628.00	3.00
55th	1639.06	1633.00	6.06	1636.54	2.51
60th	1647.50	1641.75	5.76	1645.31	2.19
65th	1653.24	1650.20	3.04	1654.00	-0.76
70th	1660.00	1659.05	0.95	1663.00	-3.00
75th	1669.00	1669.09	-0.09	1672.00	-3.00
80th	1679.60	1680.00	-0.40	1682.32	<i>-</i> 2.72
85th	1691.00	1692.00	-1.00	1697.14	-6.14
90th	1710.00	1711.11	-1.11	1714.10	-4 .10
95th	1733.70	1736.14	-2.44	1738.00	-4.30
97th	1743.60	1751.26	-7.66	1752.24	964
98th	1770.97	1763.32	7.64	1767.12	-8.64 3.85
99th	1786.23	1783.06	3.17	1784.09	2.14

Stature (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	1630.83	1631.75	-0.92	1631.52	-0.69
St Dev	60.70	61.80	-1.11	61.88	-1.18
Min	1462.00	1460.00	2.00	1460.00	2.00
Max	1833.00	1836.00	-3.00	1836.00	-3.00
%					
1st	1491.98	1488.03	3.96	1488.02	3.96
2nd	1508.89	1502.37	6.52	1502.39	6.51
3rd	1518.00	1515.39	2.61	1515.24	2.76
5th	1527.36	1531.21	-3.84	1529.31	-1.95
10th	1553.00	1552.40	0.61	1552.16	0.84
15th	1567.00	1567.96	-0.96	1567.90	-0.90
20th	1579.63	1579.56	0.07	1578.63	1.00
25th	1592.46	1590.00	2.46	1589.94	2.52
30th	1600.00	1600.00	0.00	1599.26	0.74
35th	1607.71	1608.46	-0.75	1608.00	-0.29
40th	1616.57	1615.81	0.76	1616.00	0.57
45th	1625.00	1623.00	2.00	1624.11	0.89
50th	1631.00	1631.54	-0.54	1631.72	-0.72
55th	1639.06	1639.26	-0.20	1639.49	-0.44
60th 65th	1647.50 1653.24	1646.00	1.50	1646.00	1.50
70th	1660.00	1654.00 1662.84	-0.76 -2.84	1653.00	0.24
75th	1669.00	1672.00	-3.00	1661.10 1671.00	-1.10 2.00
80th	1679.60	1682.06	-3.00 -2.46	1682.00	-2.00 -2.40
85th	1691.00	1695.75	-2. 4 .75	1696.01	-2. 4 0 -5.01
90th	1710.00	1713.00	-3.00	1713.12	-3.12
95th	1733.70	1737.56	-3.86	1713.12	-4.30
Ţ-J.,			0.00	1700.00	-1 .50
97th	1743.60	1751.78	-8.18	1752.00	-8.40
98th	1770.97	1764.34	6.63	1764.08	6.89
99th	1786.23	1784.10	2.13	1783.13	3.10

Weight

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	619.50	614.36	5.14	620.63	-1.13
St Dev	79.22	80.84	-1.62	79.79	-0.56
Min	418.00	416.00	2.00	416.00	2.00
Max	883.00	995.00	-112.00	995.00	-112.00
%					
1st	447.74	457.04	-9.30	457.33	-9.58
2nd	465.80	470.06	-4.26	471.20	-5.40
3rd	473.24	478.60	-5.37	481.19	-7.95
5th	500.64	496.02	4.62	499.41	1.23
10th	518.00	516.75	1.25	520.00	-2.00
15th	537.00	531.00	6.00	536.24	0.76
20th	552.15	545.00	7.15	551.04	1.11
25th	564.00	556.52	7.48	564.08	-0.08
30th	576.00	568.00	8.00	576.08	-0.08
35th	585.78	579.61	6.17	588.03	-2.25
40th	596.69	590.00	6.69	598.33	-1.63
45th	604.77	600.00	4.77	607.93	-3.16
50th	614.00	608.02	5.98	615.82	-1.82
55th	625.00	617.00	8.00	625.00	0.00
60th	638.00	626.00	12.00	635.00	3.00
65th	646.57	635.87	10.69	647.00	-0.43
70th	661.00	648.00	13.00	657.62	3.38
75th	670.15	660.62	9.53	670.00	0.15
80th	681.94	677.15	4.80	686.00	-4.06
85th	699.11	698.33	0.78	702.02	-2.91
90th	724.41	720.25	4.15	721.41	2.99
95th	752.51	763.03	-10.52	762.57	-10.06
97th	790.45	793.18	-2.74	793.06	-2.62
98th	798.15	813.03	-14.88	811.17	-13.03
99th	838.79	845.18	-6.39	839.16	-0.37

Weight (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	619.50	617.95	1.55	621.82	-2.32
St Dev	79.22	81.37	-2.15	81.61	-2.39
Min	418.00	416.00	2.00	416.00	2.00
Max	883.00	995.00	-112.00	995.00	-112.00
				•	
<u></u> %	•				
1st	447.74	459.21	-11.47	459.20	-11.46
2nd	465.80	474.05	-8.25	473.22	-7.42
3rd	473.24	484.19	-10.95	484.11	-10.88
5th	500.64	501.01	-0.37	502.06	-1.42
10th	518.00	520.00	-2.00	521.24	-3.24
15th	537.00	534.16	2.84	536.00	1.00
20th	552.15	547.35	4.80	550.48	1.66
25th	564.00	559.35	4.65	564.23	-0.23
30th	576.00	571.15	4.85	575.88	0.12
35th	585.78	583.00	2.78	587.00	-1.22
40th	596.69	593.98	2.71	598.03	-1.34
45th	604.77	603.00	1.77	607.74	-2.97
50th	614.00	610.70	3.30	615.33	-1.33
55th	625.00	620.00	5.00	625.55	-0.55
60th	638.00	630.48	7.52	635.79	2.21
65th	646.57	639.88	6.69	648.66	-2.10
70th	661.00 670.15	652.17	8.83	659.35	1.65
75th 80th	681.94	665.16	4.99	671.00	-0.85
i i	699.11	682.66 701.05	-0.71	688.58	-6.63
85th		701.25	-2.14	704.21	-5.10
90th	724.41 750.54	724.04	0.37	723.27	1.14
95th	752.51	767.49	-14.98	766.14	-13.63
074h	700 AE	900.00	0.04	000.45	0.70
97th	790.45	800.09	-9.64	800.15	-9.70
98th	798.15	820.02	-21.87	821.03	-22.88
99th	838.79	846.52	<i>-</i> 7.74	855.20	-16.41

Waist Height

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	984.08	977.63	6.45	980.19	3.89
St Dev	46.65	48.40	-1.75	48.81	-2.17
Min	846.00	817.00	29.00	817.00	29.00
Max	1144.00	1190.00	-46.00	1190.00	-46.00
	-				
1st	880.44	872.25	8.19	872.38	8.05
2nd	890.79	881.00	9.79	881.35	9.43
3rd	897.00	887.08	9.92	888.13	8.87
5th	908.25	900.72	7.53	902.21	6.04
10th	926.09	917.00	9.09	919.38	6.71
15th	937.00	928.00	9.00	930.03	6.98
20th	946.00	936.00	10.00	938.00	8.00
25th	952.34	943.73	8.60	945.03	7.31
30th	957.63	951.00	6.63	953.00	4.63
35th	964.00	956.52	7.48	960.00	4.00
40th	970.21	964.00	6.21	966.03	4.18
45th	977.00	970.79	6.21	973.00	4.00
50th	984.00	976.00	8.00	978.15	5.85
55th	990.00	982.00	8.00	984.00	6.00
60th	996.82	987.80	9.02	991.00	5.82
65th	1002.00	995.00	7.00	998.00	4.00
70th	1009.00	1003.00	6.00	1006.00	3.00
75th	1013.89	1011.40	2.49	1014.18	-0.29
80th	1021.25	1020.00	1.25	1022.23	-0.98
85th	1031.52	1028.00	3.52	1032.00	-0.48
90th	1041.00	1040.00	1.00	1043.99	-2.98
95th	1063.20	1060.21	2.99	1064.54	-1.34
0746	1077.00	4074.40	0.04	4070.00	4.45
97th	1077.33	1074.12	3.21	1076.23	1.10
98th	1090.23	1082.22	8.01	1083.13	7.11
99th	1103.32	1096.01	7.31	1096.23	7.09

Waist Height (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	984.08	981.55	2.53	981.66	2.42
St Dev	46.65	47.49	-0.84	47.42	-0.77
Min	846.00	817.00	29.00	839.00	7.00
Max	1144.00	1190.00	-46.00	1190.00	-46.00
<u>%</u>					
1st	880.44	874.19	6.25	874.25	6.19
2nd	890.79	883.44	7.35	883.53	7.26
3rd	897.00	893.29	3.71	893.25	3.75
	222.25		2.12		
5th	908.25	904.76	3.49	904.98	3.27
10th	926.09	921.73	4.36	921.71	4.38
15th	937.00	933.35	3.65	933.00	4.00
20th	946.00	941.00	5.00	941.00	5.00
25th	952.34	949.62	2.71	950.00	2.34
30th	957.63	956.00	1.63	956.00	1.63
35th	964.00	962.65	1.35	963.67	0.33
40th	970.21	969.97	0.23	970.11	0.10
45th	977.00	975.00	2.00	975.99	1.01
50th 55th	984.00 990.00	980.00 985.00	4.00 5.00	980.00	4.00
60th	996.82	985.00 991.67	5.00	985.00	5.00
65th	1002.00	998.56	3.44	991.00 998.00	5.82
70th	1002.00	1006.00	3.44	1005.00	4.00 4.00
75th	1013.89	1014.05	-0.16	1003.00	0.49
80th	1021.25	1022.00	-0.16 -0.75	1013.40	-0.75
85th	1021.23	1030.36	1.15	1022.00	0.75
90th	1041.00	1042.36	-1.36	1031.16	
95th	1063.20	1042.30	0.13		-3.00 1.04
3 501	1003.20	1003.07	0.13	1064.24	-1.04
97th	1077.33	1076.16	1.16	1075.49	1.84
98th	1090.23	1070.10	6.18	1082.33	7.90
99th	1103.32	1096.24	7.08	1096.19	7.50 7.14
	1100.02	1000.27	1.00	1030.13	7.14

Sleeve Outseam Length

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	548.40	543.12	5.28	544.64	3.76
St Dev	29.89	29.29	0.60	29.33	0.56
Min	480.00	454.00	26.00	454.00	26.00
Max	641.00	678.00	-37.00	678.00	-37.00
<u></u> %					
1st	484.48	478.17	6.31	479.26	5.22
2nd	493.32	485.78	7.54	487.01	6.31
3rd	496.38	490.93	5.45	491.27	5.11
5th	502.00	496.75	5.25	498.45	3.55
10th	513.32	506.00	7.32	507.18	6.14
15th	519.00	512.00	7.00	514.73	4.27
20th	523.54	517.00	6.54	519.80	3.75
25th	525.00	523.00	2.00	524.51	0.49
30th	530.63	527.00	3.63	528.62	2.01
35th	534.17	531.00	3.17	532.00	2.17
40th	538.00	535.00	3.00	536.00	2.00
45th	542.00	538.02	3.99	540.00	2.00
50th	546.00	542.00	4.00	543.93	2.07
55th	550.00	545.98	4.02	547.50	2.50
60th	555.00	550.00	5.00	552.00	3.00
65th	559.00	554.42	4.58	555.00	4.00
70th	562.00	558.28	3.72	560.00	2.00
75th	567.00	563.00	4.00	564.00	3.00
80th	574.96	567.61	7.34	570.00	4.96
85th	579.32	574.00	5.32	576.00	3.32
90th	587.37	581.00	6.37	583.25	4.11
95th	596.40	593.00	3.40	594.71	1.69
97th	610.00	600.03	9.97	601.25	8.76
98th	620.61	604.54	16.06	605.36	15.25
99th	634.59	617.04	17.55	617.10	17.50

Sleeve Outseam Length (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	548.40	545.13	3.27	545.33	3.08
St Dev	29.89	29.22	0.67	29.23	0.66
Min	480.00	454.00	26.00	454.00	26.00
Max	641.00	678.00	-37.00	678.00	-37.00
%					
1st	484.48	480.03	4.45	480.10	4.38
2nd	493.32	487.46	5.86	488.25	5.07
3rd	496.38	491.94	4.44	492.00	4.38
5th	502.00	499.81	2.19	499.93	2.07
10th	513.32	508.00	5.32	508.00	5.32
15th	519.00	515.00	4.00	515.00	4.00
20th	523.54	520.00	3.54	520.00	3.54
25th	525.00	525.00	0.00	525.00	0.00
30th	530.63	529.60	1.04	530.00	0.63
35th	534.17	533.24	0.93	533.44	0.73
40th	538.00	537.00	1.00	537.00	1.00
45th	542.00	540.65	1.35	541.00	1.00
50th	546.00	544.00	2.00	544.00	2.00
55th	550.00	548.00	2.00	548.00	2.00
60th	555.00	552.00	3.00	552.00	3.00
65th	559.00	556.00	3.00	556.00	3.00
70th	562.00	560.00	2.00	560.00	2.00
75th	567.00	564.43	2.57	564.00	3.00
80th	574.96	570.00	4.96	570.00	4.96
85th	579.32	575.97	3.34	576.00	3.32
90th	587.37	583.00	4.37	584.17	3.19
95th	596.40	594.80	1.60	595.79	0.62
97th	640.00	600.00	701	222.22	
97th 98th	610.00 620.61	602.06	7.94	602.62	7.38
1	620.61 634.50	607.00	13.60	606.36	14.24
99th	634.59	621.10	13.50	620.20	14.39

Chest Circumference

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	925.70	907.93	17.77	911.16	14.54
St Dev	59.94	62.24	-2.30	61.49	-1.55
Min	745.00	711.00	34.00	711.00	34.00
Max	114 4 .00	1222.00	-78.00	1222.00	-78.00
1st	795.75	786.18	9.58	786.36	9.40
%	_				
2nd	806.31	797.02	9.29	798.21	8.10
3rd	825.00	803.23	21.77	805.29	19.71
5th	839.00	815.20	23.80	817.48	21.52
10th	857.84	832.75	25.09	835.18	22.66
15th	868.00	844.09	23.91	847.32	20.68
20th	874.00	854.00	20.00	859.00	15.00
25th	880.00	865.00	15.00	869.00	11.00
30th	889.00	873.18	15.83	877.00	12.00
35th	899.00	881.00	18.00	884.00	15.00
40th	906.00	888.00	18.00	893.00	13.00
45th	914.00	895.00	19.00	899.30	14.70
50th	922.50	902.13	20.37	906.00	16.50
55th	929.00	910.00	19.00	914.00	15.00
60th	940.00	918.00	22.00	922.00	18.00
65th	946.17	925.67	20.49	930.30	15.87
70th	953.00	935.00	18.00	938.77	14.23
75th	961.87	945.51	16.36	949.00	12.87
80th	973.15	958.00	15.15	961.73	11.42
85th	988.62	970.14	18.49	973.32	15.30
90th	1001.28	992.18	9.09	993.27	8.01
95th	1032.28	1022.24	10.04	1021.34	10.94
	40-04-	40.45.4.			
97th	1053.47	1043.11	10.36	1041.06	12.41
98th	1056.03	1059.05	- 3.02	1057.27	-1.24
99th	1095.56	1081.43	14.12	1081.24	14.32

Chest Circumference (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	925.70	909.04	16.66	911.33	14.37
St Dev	59.94	62.51	-2.57	62.66	-2.72
Min	745.00	711.00	34.00	711.00	34.00
Max	1144.00	1222.00	-78.00	1222.00	-78.00
	•				
1st	795.75	786.22	9.53	786.30	9.45
2nd	806.31	798.06	8.25	797.18	9.14
3rd	825.00	805.05	19.95	805.20	19.80
= 4 4	200.00	040.54	00.40	047.54	04.40
5th	839.00	816.51	22.49	817.51	21.49
10th	857.84	833.97	23.88	835.25	22.59
15th	868.00	845.00	23.00	847.63	20.37
20th	874.00	855.00	19.00	858.54	15.46
25th	880.00	866.00 874.00	14.00 15.00	868.97 877.00	11.03
30th 35th	889.00 899.00	874.00 882.00	17.00	877.00 884.00	12.00 15.00
35Մ 40th	906.00	888.59	17.00	891.36	14.64
45th	914.00	895.00	19.00	899.00	15.00
50th	922.50	903.00	19.50	905.00	17.50
55th	929.00	910.42	18.58	914.00	15.00
60th	940.00	918.40	21.60	921.56	18.44
65th	946.17	926.00	20.17	928.42	17.75
70th	953.00	936.00	17.00	937.00	16.00
75th	961.87	947.00	14.87	948.00	13.87
80th	973.15	959.17	13.98	962.00	11.15
85th	988.62	971.49	17.13	974.68	13.95
90th	1001.28	994.35	6.93	996.11	5.16
95th	1032.28	1025.31	6.97	1028.61	3.67
					0.07
97th	1053.47	1044.79	8.68	1046.00	7.47
98th	1056.03	1059.50	-3.47	1063.22	-7.19
99th	1095.56	1083.18	12.38	1096.25	-0.69
•	-				

Waist Circumference

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	775.38	792.31	-16.93	796.42	-21.03
St Dev	69.35	80.24	-10.89	78.68	-9.33
Min	625.00	608.00	17.00	610.00	15.00
Max	1034.00	1108.00	-74.00	1108.00	-74.00
%					
1st	640.64	652.13	-11.49	653.56	-12.92
2nd	653.00	662.31	-9.31	664.14	-11.14
3rd	658.04	668.00	-9.96	669.54	-11.50
5th	665.90	679.14	-13.24	682.31	-16.41
10th	687.29	699.02	<i>-</i> 11.73	702.49	-15.20
15th	701.77	712.53	-10.75	716.76	-14.98
20th	710.19	724.00	-13.81	727.79	-17.60
25th	721.47	733.07	-11.61	738.00	-16.53
30 th	732.00	743.00	-11.00	747.96	-15.96
35th	741.00	752.17	-11.17	758.77	-17.77
40th	749.00	763.05	-14.05	770.00	-21.00
45th	761.36	772.33	-10.97	778.96	-17.60
50th	772.00	782.00	-10.00	788.00	-16.00
55th	782.00	791.98	-9.98	798.25	-16.25
60th	792.00	803.00	-11.00	808.44	-16.44
65th	805.00	814.48	-9.48	818.85	-13.85
70th	816.12	825.00	-8.88	831.41	-15.29
75th	825.00	838.00	-13.00	844.18	-19.18
80th	835.45	854.96	-19.51	858.00	-22.55
85th	852.82	874.86	-22.05	877.66	-24.85
90th	866.00	907.26	-41.26	908.13	-42.13
95th	891.36	944.07	-52.71	940.17	-4 8.81
074b	000 59	074.00	04.04	070.40	00.04
97th 98th	909.58 924.06	974.22 1001.11	-64.64 77.05	970.19	-60.61
90th	950.00		-77.05	1000.03	-75.97
ฮฮนา	300.00	1027.09	-77.09	1021.05	-71.05

Waist Circumference (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	775.38	793.40	-18.02	795.62	-20.24
St Dev	69.35	80.18	-10.83	79.28	-9.93
Min	625.00	610.00	15.00	610.00	15.00
Max	1034.00	1108.00	-74.00	1108.00	-74.00
<u>%</u>	1				
1st	640.64	653.65	-13.01	653.38	-12.74
2nd	653.00	664.01	-11.01	664.37	-11.37
3rd	658.04	669.63	-11.59	670.40	-12.36
eal.	66E 00	000 00	44.04	CC2 05	47.05
5th	665.90	680.82	-14.91	683.25	-17.35
10th	687.29	700.26	-12.97	701.81	-14.52
15th	701.77	713.00	-11.23	715.77	-13.99
20th 25th	710.19 721.47	725.00 734.00	-14.81 -12.53	726.11 738.00	-15.91
2501 30th	732.00	743.49	-12.55 -11.49	738.00 748.02	-16.53
35th	732.00 741.00	753.64	-11. 4 9 -12.64	758.47	-16.02 -17.47
40th	749.00	765.00	-12.0 4 -16.00	769.53	-17. 4 7 -20.53
45th	761.36	773.81	-12.45	777.00	-20.55 -15.64
50th	772.00	782.42	-10.42	785.00	-13.04
55th	782.00 782.00	792.00	-10.42	795.60	-13.60
60th	792.00	803.00	-11.00	806.00	-14.00
65th	805.00	815.00	-10.00	817.00	-12.00
70th	816.12	826.00	-9.88	829.06	-12.94
75th	825.00	838.89	-13.89	840.25	-15.25
80th	835.45	855.53	-20.08	856.48	-21.03
85th	852.82	875.17	-22.35	875.00	-22.18
90th	866.00	909.50	-43.50	910.02	-44.02
95th	891.36	946.10	-54.74	941.00	-49.64
97th	909.58	977.21	-67.63	974.39	-64.81
98th	924.06	1001.09	-77.04	1004.03	-79.97
99th	950.00	1026.05	<i>-</i> 76.05	1042.12	-92.12

Buttock Circumference

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	972.98	964.67	8.31	969.05	3.93
St Dev	58.53	58.68	-0.15	57.70	0.83
Min	813.00	787.00	26.00	787.00	26.00
Max	1157.00	1189.00	-32.00	1189.00	-32.00
į					
%	•				
1st	840.88	843.73	-2.85	846.07	-5.18
2nd	860.70	858.40	2.30	861.40	-0.70
3rd	866.82	865.32	1.50	868.09	-1.28
5th	875.00	874.68	0.32	877.72	-2.72
10th	900.00	890.58	9.42	894.19	5.82
15th	910.97	902.13	8.85	907.32	3.65
20th	919.99	913.00	6.99	918.75	1.24
25th	928.10	923.00	5.10	928.00	0.10
30th	938.40	931.69	6.71	937.83	0.57
35th	952.00	939.30	12.70	945.11	6.89
40th	960.00	947.41	12.60	952.86	7.14
45th	967.00	953.84	13.16	960.00	7.00
50th	973.00	960.37	12.63	967.61	5.39
55th	981.26	969.00	12.26	975.00	6.26
60th	987.72	976.77	10.95	982.03	5.69
65th	996.00	984.57	11.43	990.09	5.91
70th	1002.00	994.00	8.00	998.89	3.11
75th	1012.00	1003.97	8.03	1008.23	3.77
80th	1021.39	1014.00	7.39	1018.00	3.39
85th	1030.71	1025.64	5.07	1028.39	2.32
90th	1045.00	1041.00	4.00	1043.23	1.77
95th	1070.33	1066.79	3.54	1068.13	2.20
	400= =0		,		
97th	1095.72	1083.27	12.45	1081.53	14.18
98th	1102.70	1101.52	1.18	1096.46	6.24
99th	1129.19	1127.46	1.73	1125.23	3.96

Buttock Circumference (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W <u>Match</u>
	n=470	n=3192		n=2888	
Mean	972.98	966.56	6.43	969.01	3.97
St Dev	58.53	58.97	-0.44	58.44	0.09
Min	813.00	787.00	26.00	787.00	26.00
Max	1157.00	1189.00	-32.00	1189.00	-32.00
%	•				
1st	840.88	847.16	-6.27	847.21	-6.33
2nd	860.70	861.62	-0.92	862.14	-1.44
3rd	866.82	867.05	-0.23	869.08	-2.26
5th	875.00	876.56	-1.56	878.00	-3.00
10th	900.00	892.28	7.72	894.00	6.00
15th	910.97	903.00	7.97	904.71	6.26
20th	919.99	914.12	5.87	917.80	2.19
25th	928.10	924.53	3.57	928.00	0.10
30th	938.40	933.00	5.40	937.83	0.57
35th	952.00	941.89	10.11	944.57	7.43
40th	960.00	949.00	11.00	952.00	8.00
45th	967.00	955.44	11.56	959.30	7.71
50th	973.00	963.00	10.00	967.31	5.69
55th	981.26	970.30	10.96	975.00	6.26
60th	987.72	978.75	8.97	982.00	5.72
65th	996.00	986.70	9.30	990.00	6.00
70th	1002.00	996.18	5.83	998.00	4.00
75th	1012.00	1005.59	6.41	1008.00	4.00
80th	1021.39	1016.47	4.92	1017.95	3.44
85th	1030.71	1027.90	2.81	1028.00	2.71
90th	1045.00	1043.54	1.46	1043.64	1.36
95th	1070.33	1069.15	1.18	1069.36	0.97
			.	,	
97th	1095.72	1086.31	9.41	1084.31	11.41
98th	1102.70	1104.05	-1.35	1105.04	-2.34
99th	1129.19	1130.19	-1.00	1130.16	-0.96

Foot Breadth

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	90.79	89.22	1.57	89.47	1.31
St Dev	4.92	4.77	0.15	4.77	0.15
Min	77.00	74.00	3.00	74.00	3.00
Max	109.00	109.00	0.00	109.00	0.00
<u>%</u>	-				
1st	80.44	78.72	1.72	79.00	1.44
2nd	82.00	80.00	2.00	80.00	2.00
3rd	82.21	80.18	2.02	81.00	1.21
5th	83.00	82.00	1.00	82.00	1.00
10th	84.00	83.00	1.00	84.00	0.00
15th	85.00	84.00	1.00	85.00	0.00
20th	86.00	85.00	1.00	85.00	1.00
25th	87.00	86.00	1.00	86.00	1.00
30th	88.00	87.00	1.00	87.00	1.00
35th	89.00	87.00	2.00	88.00	1.00
40th	90.00	88.00	2.00	88.00	2.00
45th	90.00	88.04	1.96	89.00	1.00
50th	91.00	89.00	2.00	89.00	2.00
55th	91.00	90.00	1.00	90.00	1.00
60th	92.00	90.00	2.00	90.00	2.00
65th	92.00	91.00	1.00	91.00	1.00
70th	93.00	92.00	1.00	92.00	1.00
75th	94.00	92.00	2.00	93.00	1.00
80th	94.68	93.00	1.68	93.40	1.28
85th	96.00	94.00	2.00	95.00	1.00
90th	97.00	95.00	2.00	95.25	1.75
95th	100.00	97.48	2.52	98.00	2.00
0746	400.70	00.00			
97th	100.78	98.00	2.78	98.00	2.78
98th	102.00	99.89	2.11	100.00	2.00
99th	104.00	101.23	2.77	101.37	2.63

Foot Breadth (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W <u>Match</u>
	n=470	n=3192		n=2888	
Mean	90.79	89.40	1.38	89.52	1.27
St Dev	4.92	4.80	0.12	4.82	0.11
Min	77.00	74.00	3.00	74.00	3.00
Max	109.00	109.00	0.00	107.00	2.00
<u>%</u>	1				
1st	80.44	78.88	1.56	78.76	1.68
2nd	82.00	80.00	2.00	80.00	2.00
3rd	82.21	81.00	1.21	81.00	1.21
P4la	92.00	00.00	4.00	00.00	4.00
5th	83.00	82.00	1.00	82.00	1.00
10th	84.00	84.00	0.00	84.00	0.00
15th	85.00	84.79	0.21	84.97	0.03
20th	86.00 87.00	85.00 86.00	1.00	85.00	1.00
25th 30th	87.00 88.00	87.00	1.00 1.00	86.00 87.00	1.00
35th	89.00	87.00 87.00	2.00	87.00 88.00	1.00 1.00
40th	90.00	88.00	2.00	88.00	2.00
45th	90.00	89.00	1.00	89.00	1.00
50th	91.00	89.00	2.00	89.00	2.00
55th	91.00	90.00	1.00	90.00	1.00
60th	92.00	90.00	2.00	90.00	2.00
65th	92.00	91.00	1.00	91.00	1.00
70th	93.00	92.00	1.00	92.00	1.00
75th	94.00	93.00	1.00	93.00	1.00
80th	94.68	93.00	1.68	94.00	0.68
85th	96.00	95.00	1.00	95.00	1.00
90th	97.00	95.00	2.00	95.02	1.98
95th	100.00	98.00	2.00	98.00	2.00
97th	100.78	98.51	2.27	98.24	2.54
98th	102.00	100.00	2.27	100.00	2.00
99th	104.00	102.17	1.83	102.37	
- Juli	107.00	102.17	1.03	102.37	1.63

Foot Length

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	242.75	242.71	0.04	243.37	-0.62
St Dev	12.00	11.91	0.09	11.93	0.07
Min	205.00	203.00	2.00	203.00	2.00
Max	287.00	290.00	-3.00	290.00	-3.00
	l				
1st	212.00	215.56	-3.56	216.19	-4.19
2nd	217.14	218.78	-1.64	219.00	-1.86
3rd	221.76	220.57	1.19	221.00	0.76
-41	005.00	000.00			
5th	225.00	223.00	2.00	224.00	1.00
10th	229.00	227.29	1.71	228.00	1.00
15th	232.00	230.00	2.00	231.00	1.00
20th	233.00	233.00	0.00	233.00	0.00
25th	235.00	235.00	0.00	235.00	0.00
30th	236.00	236.00	0.00	237.00	-1.00
35th	237.00	238.00	-1.00	238.00	-1.00
40th	239.00	239.00	0.00	240.00	-1.00
45th	240.00	241.00	-1.00	242.00	-2.00
50th	242.00	242.34	-0.34	243.00	-1.00
55th	244.00	244.00	0.00	245.00	-1.00
60th	245.00	245.60	-0.60	246.00	-1.00
65th	247.00	247.00	0.00	248.00	-1.00
70th	249.00	248.00	1.00	250.00	-1.00
75th	250.50 253.00	251.00	-0.50	251.87	-1.37
80th	253.00 255.00	253.00	0.00	254.00	-1.00
85th	255.00	255.00	0.00	256.00	-1.00
90th	257.00	258.00	-1.00	259.00	-2.00
95th	263.53	263.00	0.53	263.00	0.53
97th	267.46	266.00	1.46	066.00	4 40
98th	271.20	267.92		266.00	1.46
99th	274.00	207.92 271.12	3.27	268.07	3.13
- J	£1 7.00	41 1.12	2.88	271.30	2.70

Foot Length (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	242.75	243.46	-0.71	243.63	-0.88
St Dev	12.00	11.86	0.14	11.94	0.06
Min	205.00	203.00	2.00	203.00	2.00
Max	287.00	290.00	-3.00	290.00	-3.00
	[
<u>%</u>	1				
1st	212.00	216.33	-4.33	216.11	-4.11
2nd	217.14	219.00	-1.86	219.00	-1.86
3rd	221.76	221.23	0.53	221.06	0.70
F41.	225.00	224.00	4.00	004.00	4.00
5th	225.00	224.00	1.00	224.00	1.00
10th	229.00	228.00	1.00	228.00	1.00
15th	232.00	231.00	1.00	231.00	1.00
20th	233.00 235.00	233.24 235.36	-0.24	233.00 235.20	0.00
25th 30th	235.00	237.00	-0.36 4.00		-0.19
35th	237.00	238.00	-1.00 -1.00	237.00 238.00	-1.00 -1.00
40th	239.00	240.00	-1.00	240.00	-1.00 -1.00
45th	240.00	242.00	-2.00	242.00	-2.00
50th	242.00	243.00	-1.00	244.00	-2.00 -2.00
55th	244.00	245.00	-1.00	245.00	-2.00 -1.00
60th	245.00	246.00	-1.00	247.00	-2.00
65th	247.00	248.00	-1.00	248.00	-1.00
70th	249.00	249.97	-0.97	250.00	-1.00
75th	250.50	251.00	-0.50	252.00	-1.50
80th	253.00	254.00	-1.00	254.00	-1.00
85th	255.00	256.00	-1.00	256.00	-1.00
90th	257.00	259.00	-2.00	259.00	-2.00
95th	263.53	263.21	0.32	263,00	0.53
97th	267.46	266.00	1.46	266.00	1.46
98th	271.20	268.16	3.04	268.00	3.20
99th	274.00	271.41	2.59	271.18	2.82

Sitting Height

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375	Water	n=3201	Match
Mean	866.80	854.76	12.04	856.26	10.54
	30.76	34.14	-3.37	33.96	
St Dev	f				-3.20
Min	787.00	735.00	52.00	748.00	39.00
Max	974.00	963.00	11.00	963.00	11.00
1st	793.27	778.38	14.89	780.25	13.02
4.					
<u>%</u>	l				
2nd	801.09	785.23	15.86	787.38	13.71
3rd	809.00	789.89	19.11	792.28	16.72
5th	814.39	798.21	16.19	799.76	14.63
10th	825.00	811.00	14.00	812.38	12.62
15th	836.87	819.50	17.38	821.00	15.87
20th	843.00	825.00	18.00	826.99	16.01
25th	847.00	831.00	16.00	833.00	14.00
30th	850.00	836.00	14.00	837.39	12.61
35th	853.89	840.00	13.89	842.00	11.89
40th	857.00	845.00	12.00	846.27	10.73
45th	862.00	850.00	12.00	852.00	10.00
50th	867.00	854.00	13.00	856.00	11.00
55th	870.00	859.32	10.68	861.00	9.00
60th	874.17	864.00	10.17	866.00	8.17
65th	879.00	869.00	10.00	870.10	8.90
70th	884.61	873.33	11.28	874.79	9.82
75th	890.00	878.00	12.00	879.00	11.00
80th	895.14	884.00	11.14	885.50	9.64
85th	900.00	890.00	10.00	891.00	9.00
90th	905.00	898.14	6.86	899.51	5.49
95th	915.00	912.46	2.54	912.94	2.06
			_		
97th	924.56	920.22	4.34	920.58	3.98
98th	928.00	925.43	2.57	927.02	0.98
99th	940.21	936.31	3.90	936.48	3.72

Sitting Height (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	866.80	857.21	9.59	857.22	9.58
St Dev	30.76	33.20	-2.44	33.27	-2.51
Min	787.00	748.00	39.00	748.00	39.00
Max	974.00	963.00	11.00	963.00	11.00
<u></u> %					
1st	793.27	781.13	12.15	781.04	12.23
2nd	801.09	787.67	13.42	787.79	13.30
3rd	809.00	793.21	15.79	794.14	14.86
		201.11	40.05	000.70	40.00
5th	814.39	801.44	12.95	800.76	13.63
10th	825.00	814.33	10.67	814.00	11.00
15th	836.87	823.00	13.87	823.00	13.87
20th	843.00	828.31	14.69	829.00	14.00
25th	847.00	834.88	12.12	835.00	12.00
30th	850.00	839.00	11.00	840.00	10.00
35th	853.89 857.00	844.00	9.89	844.00	9.89
40th	857.00 862.00	849.00 853.00	8.00 9.00	849.00 853.00	8.00
45th		857.07	9.00	853.00 857.94	9.00
50th 55th	867.00 870.00	862.00	8.00	857.81 862.62	9.20 7.38
60th	874.17	866.51	7.66	866.00	8.17
65th	879.00	871.00	8.00	870.11	8.89
70th	884.61	875.00	9.61	875.00	9.61
75th	890.00	880.00	10.00	880.00	10.00
80th	895.14	886.00	9.14	886.00	9.14
85th	900.00	891.00	9.00	890.56	9.44
90th	905.00	899.00	6.00	899.00	6.00
95th	915.00	912.68	2.32	912.18	2.82
0001	310.00	312.00	2.02	312.10	2.02
97th	924.56	920.24	4.32	920.11	4.45
98th	928.00	925.50	2.50	926.07	1.93
99th	940.21	936.36	3.84	936.52	3.69

Head Circumference

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	552.82	544.81	8.01	545.20	7.62
St Dev	15.03	14.47	0.56	14.45	0.58
Min	508.00	500.00	8.00	500.00	8.00
Max	613.00	615.00	-2.00	615.00	- 2.00
%					
1st	517.97	511.36	6.61	512.30	5.67
2nd	523.00	516.00	7.00	516.54	6.46
3rd	523.91	518.60	5.31	519.00	4.91
5th	527.00	521.16	5.85	522.00	5.00
10th	535.00	527.00	8.00	527.00	8.00
15th	538.00	530.00	8.00	530.12	7.88
20th	541.09	533.00	8.09	533.00	8.09
25th	543.00	535.00	8.00	535.00	8.00
30th	545.00	537.00	8.00	538.00	7.00
35th	547.00	539.00	8.00	539.00	8.00
40th	549.00	541.00	8.00	541.00	8.00
45th	550.03	543.00	7.03	543.00	7.03
50th	552.00	544.00	8.00	545.00	7.00
55th	554.00	546.00	8.00	547.00	7.00
60th	555.40	548.00	7.40	549.00	6.40
65th	557.97	550.00	7.97	551.00	6.97
70th	560.89	552.00	8.89	553.00	7.89
75th	562.00	554.00	8.00	554.00	8.00
80th	564.00	557.00	7.00	557.00	7.00
85th	567.00	560.00	7.00	560.00	7.00
90th	571.85	563.00	8.85	564.00	7.85
95th	578.00	568.71	9.29	569.00	9.00
97th	583.00	572.12	10.88	572.41	10.59
98th	590.00	575.39	14.61	575.35	14.66
99th	594.00	584.06	9.94	584.26	9.74

Head Circumference (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	552.82	545.28	7.54	545.50	7.32
St Dev	15.03	14.57	0.45	14.55	0.47
Min	508.00	500.00	8.00	502.00	6.00
Max	613.00	615.00	-2.00	615.00	- 2.00
	-				
1st	517.97	512.00	5.97	512.07	5.90
2nd	523.00	516.24	6.76	516.28	6.72
3rd	523.91	519.00	4.91	519.00	4.91
5th	527.00	522.00	5.00	522.00	5.00
10th	535.00	527.00	8.00	527.00	8.00
15th	538.00	530.00	8.00	531.00	7.00
20th	541.09	533.00	8.09	533.00	8.09
25th	543.00	535.00	8.00	536.00	7.00
30th	545.00 547.00	537.69	7.31	538.00	7.00
35th	547.00 540.00	539.32	7.68	540.00	7.00
40th	549.00 550.03	541.00	8.00	541.00	8.00
45th	550.03	543.00	7.03	543.00	7.03
50th 55th	552.00 554.00	545.00 547.00	7.00	545.00 547.00	7.00
60th	555.40	547.00 540.00	7.00	547.00 540.00	7.00
65th	557.97	549.00 551.00	6.40	549.00 551.00	6.40
70th	560.89	552.95	6.97 7.94	551.00 552.00	6.97
75th	562.00	554.00	8.00	553.00 555.00	7.89
80th	564.00	557.00	7.00	555.00 557.74	7.00
85th	567.00	561.00	6.00	557.74 561.00	6.26
90th	571.85	564.00	7.85	561.00 565.00	6.00
95th	578.00	569.30	7.83 8.71	569.79	6.85
	070.00	009.00	0.71	303.19	8.22
97th	583.00	573.00	10.00	573.00	10.00
98th	590.00	576.51	13.49	576.55	13.45
99th	594.00	585.01	8.99	584.30	9.70
	33	300.01	0.00	554.56	3.10

Menton-Sellion Length

	USMC Females	Race/Age Match	USMC-R/A Match	Race/Age/Wt Match	USMC-R/A/W Match
	n=470	n=3375		n=3201	
Mean	112.79	113.06	-0.27	113.28	-0.49
St Dev	6.04	5.95	0.09	5.94	0.11
Min	97.00	95.00	2.00	95.00	2.00
Max	133.00	134.00	-1.00	134.00	-1.00
	•				
1st	99.88	99.96	-0.08	100.00	-0.12
2nd	101.09	101.39	-0.30	101.59	-0.50
3rd	102.00	102.02	-0.02	102.59	-0.59
				•	
5th	102.82	103.00	-0.18	103.85	-1.03
10th	105.00	105.00	0.00	106.00	-1.00
15th	106.00	107.00	-1.00	107.00	-1.00
20th	108.00	108.00	0.00	108.00	0.00
25th	109.00	109.00	0.00	109.00	0.00
30th	110.00	110.00	0.00	110.00	0.00
35th	111.00	111.00	0.00	111.00	0.00
40th	111.00	111.00	0.00	112.00	-1.00
45th	112.00	112.00	0.00	112.08	-0.08
50th	113.00	113.00	0.00	113.00	0.00
55th	114.00	114.00	0.00	114.00	0.00
60th	114.00	114.00	0.00	115.00	-1.00
65th	115.00	115.00	0.00	115.00	0.00
70th	116.00	116.00	0.00	116.00	0.00
75th	116.00	117.00	-1.00	117.00	-1.00
80th	117.00	118.00	-1.00	118.00	-1.00
85th	119.00	119.00	0.00	119.29	-0.29
90th	120.00	121.00	-1.00	121.00	-1.00
95th	123.00	123.00	0.00	123.00	0.00
0744	405.00	405.00	0.00	405.00	0.00
97th	125.00	125.00	0.00	125.00	0.00
98th	126.74	126.00	0.74	126.00	0.74
99 th	129.40	128.30	1.10	128.48	0.91

Menton-Sellion Length (cont.)

	USMC Females	Race/Age/Ht Match	USMC-R/A/H Match	Race/Age/Ht/Wt Match	USMC- R/A/H/W Match
	n=470	n=3192		n=2888	
Mean	112.79	113.22	-0.42	113.31	-0.52
St Dev	6.04	5.98	0.07	5.92	0.13
Min	97.00	95.00	2.00	95.00	2.00
Max	133.00	134.00	-1.00	134.00	-1.00
<u> </u>					
1st	99.88	99.75	0.13	99.92	-0.04
2nd	101.09	101.51	-0.42	101.69	-0.60
3rd	102.00	102.33	-0.33	103.00	-1.00
Edh	102.82	103.51	-0.69	104.00	-1.18
5th 10th	102.62	105.97	-0.09	106.00	-1.10 -1.00
15th	106.00	107.00	-1.00	107.00	-1.00 -1.00
20th	108.00	108.00	0.00	108.00	0.00
25th	109.00	109.00	0.00	109.00	0.00
30th	110.00	110.00	0.00	110.00	0.00
35th	111.00	111.00	0.00	111.00	0.00
40th	111.00	111.00	0.00	112.00	-1.00
45th	112.00	112.00	0.00	113.00	-1.00
50th	113.00	113.00	0.00	113.00	0.00
55th	114.00	114.00	0.00	114.00	0.00
60th	114.00	115.00	-1.00	115.00	-1.00
65th	115.00	115.00	0.00	115.00	0.00
70th	116.00	116.00	0.00	116.00	0.00
75th	116.00	117.00	-1.00	117.00	-1.00
80th	117.00	118.00	-1.00	118.00	-1.00
85th	119.00	119.55	-0.55	119.00	0.00
90th	120.00	121.00	-1.00	121.00	-1.00
95th	123.00	123.48	-0.48	123.00	0.00
97th	125.00	125.00	0.00	125.00	0.00
98th	126.74	126.00	0.74	126.00	0.74
99th	129.40	128.68	0.72	128.74	0.66

APPENDIX D Derivation of Statistical Formulae

Appendix D. Derivation of Statistical Formulae

I. Statement of Precision desired in terms of standard error, using Confidence Limit approach.

Suppose one would like to estimate a population parameter with 95% confidence and a given level of precision. Let C stand for the chosen precision value and S_p stand for the standard error of some parameter, then the confidence limits desired are given by the following equation (Sokal and Rohlf, 1981):

$$t_{0.05,n} * S_p \leq C$$

At 95% Confidence, $t_{0.05,n} = 1.96$ for samples larger than 120, so:

$$1.96 * S_p \le C$$

$$S_{\rm p} \le C/1.96$$

II. Statement of **n** required to obtain a standard error of a given size for estimating the **mean** of a population parameter with 95% Confidence (Sokal and Rohlf, 1981).

$$S_x = \sqrt{(S_x)^2/n}$$

$$S_x^2 = (S_x)^2/n$$

$$\mathsf{n} = (\mathsf{S}_\mathsf{x})^2/(\mathsf{S}_\mathsf{x})^2$$

$$n = (S_x)^2/[C/1.96]^2$$

$$n = (1.96 S_x/C)^2$$

where: S_x = standard error of the mean of x

 S_x = standard deviation of x

III. Statement of n required to obtain a standard error of a given size for estimating the 5th/95th percentile values of a population with 95% confidence. The standard error of the percentile is given by the following equation (Cochran, 1956):

$$S_p = \sqrt{(S_{x^*})^2 + K^2(S_s)^2}$$

where: S_p = standard error of percentile S_{x^*} = standard error of the mean of x K = coefficient of the standard deviation used to

specify the percentile

S_s = standard error of the standard derivation

Since
$$S_x = \sqrt{S_x^2/n}$$
 and $S_s = 0.707 * S_x/\sqrt{n}$ (Sokal and Rohlf, 1981)

By substitution:

$$S_p = \sqrt{S_x^2/n} + K^2 (0.707 * S_x/\sqrt{n})^2$$

$$S_p = \sqrt{S_x^2/n} + 0.5K^2 S_x^2/n$$

$$S_p = S_x / \sqrt{n} * \sqrt{(1 + 0.5K^2)}$$

where: S_x = standard deviation of x K = percentile coefficient

Since $S_p = C/1.96$,

$$C/1.96 = S_x/\sqrt{n} * \sqrt{1 + 0.5}K^2$$

$$C * \sqrt{n} = 1.96 * S_x * \sqrt{1 + 0.5}K^2$$

$$\sqrt{n} = (1.96 * S_x * \sqrt{1} + 0.5K^2)/C$$

$$n = [(1.96 * S_x)^2 * (1 + 0.5K^2)]/C^2$$

where: K = 1.645 for precision of 5th/95th Percentile estimates

- IV. Statement of n required to obtain a regression estimate, y_{ij}^{h} with a given precision and confidence.
- A. The standard error for a regression estimate is given by the following equation (Sokal and Rohlf, 1981):

$$S_y^* = \sqrt{S_{y,x}^2 (1/n + (x_i - x^*)^2 / \sum x^2)}$$

where: $S^2_{x,y}$ = residual mean square (RMS) n = sample size on which RMS was calculated x_i = value of x for which an estimate of y is desired x = mean value of x $\sum x^2$ = sum of squares in x

B. By algebraic manipulation, the following equations can be derived:

$$\begin{split} S_y^{^2} &= S_{y,x}^2/n + S_{y,x}^2(x_i - x^*)^2/\sum x^2 \\ S_{y,x}^2/n &= S_y^{^2} - S_{y,x}^2(x_i - x^*)^2/\sum x^2 \\ n &= S_{y,x}^2/[S_y^{^2} - S_{y,x}^2(x_i - x^*)^2/\sum x^2] \end{split}$$

C. However.

since
$$S_x = \sum x^2 / n_x$$
,

$$\sum x^2 = S_x^2 n_x$$
and since 1.96 * S_y ^ = C,

$$S_y$$
^ = C/1.96

So by substitution,

$$n = S_{y,x}^2/[C^2/1.96^2 - S^2_{y,x}(x_i - x^*)^2/S_x^2n_x]$$

D. As can be seen from the equation above, the n required varies as a function of the distance that x_i is from the mean, x. Since precision is desired at the tails of the distribution as well as near the mean, let us assume the case of estimating the y^* which corresponds to a 5th or 95th percentile value of x_i . Then,

$$x_i = x^* \pm 1.645 * S_x$$

By substitution,

$$n = S_{y,x}^{2}/[C^{2}/1.96^{2} - S_{y,x}^{2}((x^{*} + 1.645 * S_{x}) - x^{*})^{2}/S_{x}^{2}n_{x}]$$

$$n = S_{y,x}^{2}/[C^{2}/1.96^{2} - S_{y,x}^{2}(1.645)^{2} S_{x}^{2}/S_{x}^{2}n_{x}]$$

$$n = S_{y,x}^{2}/[C^{2}/1.96^{2} - S_{y,x}^{2}(1.645)^{2}/n_{x}]$$

$$n = S_{y,x}^{2}/[0.26C^{2} - 2.71 S_{y,x}^{2}(1.645)^{2}/n_{x}]$$

REFERENCES

- Cochran, W.G. 1956. Design and Analysis of Samplings, Chapter 17, in G.W. Snedecor. <u>Statistical Methods</u>. The Iowa State College Press: Ames.
- 2. Sokal, R.R. and F.J. Rohlf. 1981. <u>Biometry</u>, Second edition. W.H. Freeman & Co.; New York.